
(2)

NASA Technical Memorandum 102340 AVSCOM Technical Memorandum 89-C-005

AD-A217 844

An Investigation of Gear Mesh Failure Prediction Techniques



James J. Zakrajsck Lewis Research Center Cleveland, Ohio

November 1989

DETABUTION STATEMENT A

Approved for public releases Distribution Unimuted

NASA




90' 02 07 065

TABLE OF CONTENTS

CHAPTER	Page
I. INTRODUCTION	1
1.0 Overview	1 1 2
II. THEORY AND TECHNIQUES	3
2.0 Digital Signal Processing Techniques	3 7
III. EXPERIMENTAL PROCEDURES	17
3.0 Spur Gear Fatigue Apparatus	17 17 20 21
IV. APPLICATION AND RESULTS	43
	43 44
V. CONCLUSIONS AND RECOMMENDATIONS	69
B - SOURCE CODE FOR TFM4.FOR	71 73 83 91 95
REFERENCES	97





CHAPTER I INTRODUCTION

1.0 OVERVIEW

This thesis is based upon experimental and theoretical work in the area of gear mesh failure diagnostics. More specifically, passive diagnostic instrumentation was installed on a single mesh gear fatigue tester, located at NASA Lewis Research Center, to periodically record the gear mesh induced vibration from initiation to failure. This information was analyzed using several existing gear diagnostic methodologies to determine if a correlation exists between the various prediction techniques and the observed modes of failure. This thesis presents the methods used and results obtained when applying the diagnostic techniques to the experimental data:

The experimental data collected during this thesis consisted of discrete vibration signatures taken from the eleven gear sets that were run to failure. Two accelerometers, both with a frequency range of 0 to 10,000 Hertz, and an optical sensor, used for a shaft synchronous signal, were installed on an existing spur gear fatigue tester. A timer was installed so that the vibration data could be periodically recorded on an FM tape recorder. Of the eleven gear sets monitored, five failed by heavy wear and scoring, two failed by single tooth pitting, two failed by tooth breakage, and two failed by distributed pitting.

The analytical work consisted of investigating and applying several gear mesh failure predication techniques. Two of the methods investigated were the FMO and FM4 techniques developed by Stewart [1]. FMO is a general method used to detect a variety of failures, whereas FM4 is more sensitive to a single tooth fault, such as single tooth fatigue cracks. Also used was the technique utilizing the Hilbert transform to demodulate the time signal. This technique, proposed by McFadden [2], is predominately used to detect fatigue cracks early in their development. The remaining three techniques investigated were the crest factor, sideband level ratio, and the non-harmonic to harmonic RMS level energy ratio. [3]

This thesis is divided into five chapters to help separate the main areas of this investigation. The remaining two sections of the introduction present the significance of condition monitoring in rotorcraft, and a brief overview of various transmission condition monitoring methods. Chapter II covers basic signal processing theory and techniques used in this analysis, and specific theory on each of the diagnostic methods investigated. Chapter III addresses the experimental work conducted during this study including a detailed description of the various gear failures found, and the results of frequency response measurements performed on the fatigue test rig. Results of applying the various gear diagnostic methods to the data collected are correlated to the actual gear failure modes in Chapter IV. Finally, Chapter V presents the conclusions of this research and recommendations applicable to further investigations into gear diagnostics.

1.1 SIGNIFICANCE OF GEAR CONDITION MONITORING IN ROTORCRAFT

In aerospace applications, where weight and size are premiums, gear systems are usually designed close to their projected limits. For rotorcraft transmissions, this design constraint translates into frequent transmission overhauls and frequent transmission related accidents resulting in death, injury, costly damage, and fleet grounding. Current on-board condition monitoring systems not only provide insufficient time between warning and failure,

but also result in many false alarms causing unnecessary and costly repairs. Thus the need for a reliable gear train condition monitoring system is paramount to the increased safety and cost efficient operation of current and future rotorcraft.

Some specific examples can be given illustrating the effects of transmission related problems on fleet readiness and safety. The entire Marine Corps fleet of 93 CH-53E Super Stallion Helicopters were grounded in February, 1987, due to a defective gear. [4] Also, The United Kingdom Department of Transport Air Accidents Investigation Branch (AAIB) released an official accident report on the November 1986 accident involving a Boeing 234 Commercial Chinook in the North Sea, which killed 45 people. [5] The main cause of the accident was determined to be a catastrophic failure of a modified gear in the forward transmission. This failure led to the desynchronization of the twin rotors such that the forward and aft rotors clashed.

The early detection of incipient failure in a rotorcraft transmission is not only important for safety, but also overall maintenance is improved and becomes more cost efficient. Currently, rotorcraft transmissions are overhauled at prescribed intervals. The transmissions are overhauled long before the calculated life of any of the critical components. Implementation of a reliable on-board condition monitoring system can increase the time between overhauls, or on-condition maintenance, without sacrificing safety by continuously monitoring the state and wear condition of critical components. The reduction in the frequency of overhauls not only decreases maintenance costs, but also decreases the probability of replacing good components with defective ones.

1.2 OVERVIEW OF TRANSMISSION CONDITION MONITORING METHODS

There are currently two basic methods of monitoring the condition of drive train components. The first uses a debris monitoring device that detects the size and rate of wear particles in the transmission lubricant as an indicator of severe wear and incipient failure. The second method is based upon vibration data obtained using one or more sensors mounted on the transmission case.

Most debris monitoring devices use magnetically captured debris to detect su face fatigue failures in critical gearbox oil wetted components such as gears and bearings. Some of the debris monitoring devices classify the captured particles by rough sizes, and keep account of the rate of capture and total debris count. This provides an indication as to the damage severity of the failing component(s). One problem with these devices is their limited ability to detect gear failures, since in most cases these-failures do not produce large amounts of metallic debris far enough in advance to provide sufficient warning time.

The use of vibration analysis methods for condition monitoring can be further classified into time domain and frequency domain methods. Time domain methods use statistical analysis techniques on direct or filtered time signals to detect parametric or pattern changes as transmission components wear. Statistical methods such as standard deviation and kurtosis are used to qualify general wear from tooth specific damage, respectively. Frequency domain methods use the Fast Fourier Transform (FFT) to convert the time signal into its' corresponding frequency components. Vibration energy at specific frequencies (i.e. primary, harmonics, sidebands, etc.) can be used to monitor geartrain component failures. Both methods use time synchronous averaging to cancel out all vibration that is non-periodic with the shaft frequency being used as the synchronous signal.

CHAPTER II THEORY AND TECHNIQUES

An understanding of the theory behind the diagnostic techniques investigated along with some basic digital signal processing theory was needed to successfully carry out this analysis. A review of this study is presented in this chapter to give the reader sufficient background into the methods used.

2.0 DIGITAL SIGNAL PROCESSING TECHNIQUES

An important part of the experimental portion of this study was the conversion of the analog signals recorded into digitized data. Digitizing the data allowed the techniques being investigated to be applied to the data efficiently and easily on a standard personal computer. Along with the analog to digital conversion, the digital Fourier transform was used to convert digitized time data to frequency data. Because of the significance of these and other digital signal processing techniques used to the overall analysis, some digital signal analysis theory will be presented below.

The goal of the analog to digital conversion process is to obtain this conversion while maintaining sufficient accuracy in frequency, magnitude, and phase information. Two basic concepts responsible for the accuracy of the conversion are sampling and quantization. Sampling is the rate of time signal digitization, or the timing between the digital pieces of the time record. Quantization is related to converting the analog amplitude value to a digital value. Of the two concepts, sampling is usually the more critical because it

effects frequency as well as amplitude accuracies.

All analog to digital (ADC) conversion devices sample at constant increments of time. Two theories, Shannon's Sampling Theory and Rayleigh's criterion, relate the sampling process to the limits of the information obtainable with minimum errors. Shannon's sampling theory, also known as the Nyquist criterion, states that the frequency the ADC device samples must be greater than two times the maximum frequency of interest. This theory outlines the highest frequency detectable in a signal, with minimum errors, given a specific sampling rate. Raleigh's criterion is related to the ability to resolve closely spaced frequency components. For a given time record of length T (seconds), the minimum resolution frequency, or the lowest frequency component measurable, is given by the following equation.

$$f(min) = \frac{1}{T}$$
 (1)

(2)

The errors associated with sampling processes can be grouped into two categories, variance and bias. Variance is due primarily to random deviations of the sampled signal from the mean, or expected value. These random deviations are often caused by noise in the signal and measurement equipment. The easiest way of reducing variance errors is by time synchronous averaging. this method the signal is averaged in the time domain with each record starting at the same point in a cycle, as determined by a synchronous signal. The portions of the signal not coherent with the synchronous time period, such as random noise and signals not periodic within this period, are averaged out. Ideally the number of averages improves the signal to noise ratio by the following equation.

S/N (after Nt averages) = $(\sqrt[4]{Nt})^*(S/N)(original)$

where : S/N = signal to noise ratio

Bias errors cannot be minimized through averaging techniques. Limitations of the equipment or techniques used are the prime contributors of bias errors. Aliasing, a common bias error, results from the limitation of using finite information to describe an infinite process. An example of aliasing can be seen in in Figure 2.1. The solid line plot represents the actual signal. Because the sampling rate was conducted at a frequency lower than the frequency of interest, the digital representation of the signal, the dashed line plot, incorrectly implies a low frequency signal. To guard against aliasing problems, Shannon's sampling theory along with anti-aliasing filters, or low pass filters, should be utilized with any ADC device. The anti-aliasing filters serve to assure that any frequencies higher than the frequency of interest are removed from the signal prior to the ADC process.

One of the most powerful tools used in signal analysis is the Fourier transform. The basic theory behind the Fourier transform is that any continuous time signal can be represented by a series of sine and cosine functions of various amplitudes, frequencies, and phase relationships. Use of the Fourier transform produces no new information, it just transforms the data from one independent variable to another. In most instances time domain data is transformed to the frequency domain. Determining the frequency content of a time based signal is especially useful when analyzing mechanical systems with rotating components. The Fourier transform in the classical case is given in the following equations.

$$f(w) = \int_{-\infty}^{\infty} f(t) \exp(-jwt) dt \qquad \text{(forward transform)}$$

$$f(t) = \int_{-\infty}^{\infty} f(w) \exp(jwt) dt \qquad \text{(inverse transform)} \qquad (3)$$

where : f(t)= function in the time domain
F(w)= function in the frequency domain

Because the limits of integration of the classical form of the Fourier transform are from negative to positive infinity, the Discless Fourier Transform (DFT) must be used with experimental data. Equations Fo. the DFT are given below.

$$\overline{F}(m) = 1/N \sum_{n=0}^{N-1} f(n) \exp(-j2\pi m n/N) \qquad \text{(forward transform)}$$

$$\overline{F}(n) = 1/N \sum_{m=0}^{N-1} F(m) \exp(j2\pi m n/N) \qquad \text{(inverse transform)} \qquad (3)$$

The DFT is based upon a set of assumptions concerning the sequence of the discrete data values collected. These assumptions are: 1) the signal must be a totally observed transient within the time period of observation, or 2) the

signal must be composed only of harmonics during the time period of observation. Leakage, a bias error, is a good example of the type of errors resulting if neither of the assumptions are met when applying the DFT. Figure 2.2 illustrates the resulting transform, labeled "DISCRETE FT", as compared to the true transform, labeled "EXACT FT". The time signal in this case was neither transient nor periodic within the time record, thus the energy in essence leaked out into other frequency lines not representative of the actual signal. Windowing is one method used to minimize leakage errors. For example, the Hanning window multiplies the time signal by a function that gradually reduces to zero at the end of the time period. This forces the signal to appear to be transient within the time period, thus satisfying the DFT assumptions. There are functions that naturally meet the DFT assumptions, these are called self windowing functions. These functions produce no leakage errors and thus require no windowing.

The Fast Fourier Transform (FFT) was developed to reduce the computational time of the standard DFT process. The FFT time savings results from partitioning the DFT matrix into a number of smaller individual matrices and reordering the data for more efficient computation. This results in the computational time required for the FFT to be a function of $N\log_2 N$ instead of N^2 , for the DFT. Along with the time saving advantages of the FFT is the retention of the phase information, which permits the evaluation of multichannel measurements such as transfer functions, and coherence. [6]

The frequency response function is another important digital signal processing method which is used to describe the dynamic properties of a physical system. The classical definition of the frequency response function is the Fourier transform of the unit impulse response function, as shown in the following equation. [7]

$$H(f) = \int_0^\infty h(t) \exp(-j2\pi ft) dt$$
 (5)

where : H(f) = Frequency response function h(t) = Unit impulse response function

The frequency response function gives a direct relationship of the output to the input of a system in the frequency domain. This relationship is especially useful when trying to determine how a signal is altered as it passes through a system.

There are several ways of estimating the frequency response function using measured quantities. The first method is simply computed by dividing the Fourier transform of the output by the Fourier transform of the input, as given in Equation 6.

$$\widetilde{H}yx(f) = Y(f)/X(f)$$
 (6)

where: Hyx estimates H
Y(f) and X(f) are the Fourier transforms
of the output and input, respectively.

To reduce the variance error in the estimate of the frequency response a number of samples must be involved, as seen in Equation 7.

$$\overline{H}yx(f) = \frac{\sum_{i=1}^{NS} Y(f)_{i}}{\sum_{i=1}^{NS} X(f)_{i}}$$
(7)

The above estimates are reasonable, however, to obtain the optimum estimate of the frequency response function in the presence of noisy signals, the least squares technique is often used. This technique produces an unbiased estimate of the frequency response function even in the presence of input noise, assuming that the input signal and the input noise are not correlated. [7] The frequency response estimate in this case is given by Equation 8.

$$\overline{H}yx(f) = Gyx(f) / Gxx(f)$$
 (8)

where:
$$Gyx(f) = \sum_{i=1}^{NS} Y(f)_i X^*(f)_i$$

$$Gxx(f) = \sum_{i=1}^{NS} X(f)_i X^*(f)_i$$

In this equation Gyx represents the cross power spectrum, and Gxx represents the action gover spectrum of the input, both of which can be calculated even in the presence of noise. The phase information is preserved in the term Gyx. The cross and auto power spectrums are also used to calculate another important signal processing parameter, the coherence function.

The coherence function provides a means of determining the causality relationship between the input and output of a system. The coherence function is given in Equation 9 below.

$$\gamma^{2}(f) = \frac{Gxy(f) Gxy^{*}(f)}{Gxx(f) Gyy(f)}$$
(9)

where: Gxy(f) - The cross spectrum

Gxy*(f) = The complex conjugate of the cross spectrum

Gxx(f) - The auto power spectrum of the input Gyy(f) - The auto power spectrum of the output

The coherence function is a measure of the amount of the output signal that is directly related to the input signal at any specific frequency. If, for example, at a certain frequency the coherence function has a value of 1.0, then the output is a direct result of the input signal at that frequency. If the

coherence function has a value less than unity but greater than zero, then one or more of the following conditions may exist, as outlined by Bendat [7]:

1) Extraneous noise is present in the measurements.

2) Resolution bias errors are present in the spectral estimates.

3) The system relating y(t) to x(t) is not linear.

4) The output y(t) is due to other inputs besides x(t).

The coherence function is normally used in conjunction with frequency response measurements. Here the coherence function provides a measure of the quality of the measurement by giving the relationship of the output signal to the input impulse. Another way of representing the coherence function information is by the signal to noise ratio. The signal to noise ratio is easily found using the coherence function as shown in Equation 10.

$$S/N(f) = \frac{\gamma^2(f)}{1 - \gamma^2(f)}$$
 (10)

2.1 THEORY OF GEAR FAILURE PREDICTION METHODS

Several gear failure prediction methods were investigated and applied to the experimental data. The basic theory behind each method is given in the following sections.

FMO METHOD

The FMO parameter is a time domain discriminant proposed by Stewart [1] that provides a simple method to detect major changes in the meshing pattern. FMO is defined as the ratio of the peak-to-peak level of the signal average to the sum of the rms levels of the meshing frequency and its harmonics, as given in Equation 11.

$$FMO = \frac{pp}{\sum_{i=1}^{n} A(f_i)}$$
 (11)

where: PP = peak-to-peak level of signal average
 A = amplitude at mesh frequency (1=1) and
 harmonics (1>1)

FMO is formulated to be a robust indicator of major faults in a gear mesh. Major tooth faults, such as breakage, usually results in an increase in peak-to-peak level and no appreciable change in meshing frequency levels, which causes FMO to increase. For heavy uniform gear wear, the peak to peak level remains somewhat constant and the meshing frequency levels tend to decrease, causing the FMO parameter to increase. In heavy wear situations, the gear tooth profile and surface quality degrades, causing the meshing energy to be redistributed from the meshing frequencies to the modulating sidebands. From the physical viewpoint, two surfaces in sliding contact produce more random fluctuations in the signal as the amount and magnitude of their surface

variations increase. This explains the redistribution of energy in the frequency domain with the increasing wear. For minor tooth damage, neither peak-to-peak levels or meshing frequencies levels change an appreciable amount, thus FMO response in this case is limited. [8]

FM4 METHOD

FM4 was developed to detect changes in the vibration pattern resulting from damage to a single tooth. FM4 analysis, proposed by Stewart [1], filters out the regular meshing components from the signal average and performs two statistical operations, standard deviation and kurtosis, on the difference signal. Equation 12 and Figures 2.3 through 2.5 illustrate the formulation of the difference signal.

$$D(t) = A(t) - R(t)$$
 (12)

where: A(t) = original signal average

R(t) = regular meshing components of signal average

D(t) = difference signal

Figure 2.3 represents a plot of an actual signal A(t) after time synchronous averaging. Figure 2.4 represents a plot of the regular meshing components R(t) of that signal. R(t) is found by taking the FFT of the original signal, extracting the regular components and taking the inverse FFT of these compoments. The regular components consist of the shaft frequency and its harmonics, the primary meshing frequency and its harmonics along with their first order sidebands. The first order sidebands are generally due to runout of the gear because of machining or assembly inaccuracies [9], and thus are considered regular components. The difference signal is then found by subtracting the regular components from the original signal. Figure 2.5 shows a plot of the resulting difference signal. The FM4 analysis method is comprised of the standard deviation and kurtosis of the difference signal along with a squared representation of the difference signal. The square of the difference signal represented in Figure 2.5 is shown in Figure 2.6. As seen in this figure the square of the difference signal magnifies any abnormalities present in the difference signal.

The FM4 analysis method uses standard deviation and kurtosis to extract information from the resulting difference signal. The standard deviation of the difference signal indicates the amount of energy in the non-meshing components, where the kurtosis indicates the presence of peaks in the difference signal. The theory behind FM4 is that for a gear in good condition the difference signal would be primarily noise with a Gaussian amplitude distribution [8]. The standard deviation should be relatively constant, and a normalized kurtosis value of three would be reflected [3]. When a tooth develops a major defect, such as root cracks or severe spalling, a peak or series of peaks appear in the difference signal. The kurtosis value would thus increase to reflect these peaks. The standard deviation will increase only when the peak(s) become severe enough to bring up the rms level of the entire difference signal. It should be noted that the standard deviation will also increase with increases in uniform gear wear. This is to be expected, since the standard deviation of the difference signal is an indicator of the energy level of the non-meshing components, which increases as the gear wears. Thus both the standard deviation and the normalized kurtosis should be used in conjunction with each other to detect the onset and severity of single tooth defects.

Standard deviation is defined as the second statistical moment of an array of values about the mean of those values. It is an indicator of the variance of the values in the array. The standard deviation of the difference signal can be found using the following equation.

RMSDS =
$$\left[1/N \sum_{j=1}^{N} (d_j - \bar{d})^2\right]^{1/2}$$
 (13)

where : RMSDS = Standard Deviation
d = Mean value of the signal

Kurtosis is defined as the fourth statistical moment of an array of values about the mean of those values. It is an indicator of the existence of major peaks in the array. The digital form of the kurtosis equation is given in Equation 14.

$$K = 1/N \sum_{i=1}^{N} (d_i - \bar{d})^4$$
 (14)

where: K = Kurtosisd = Mean value of signal

This absolute kurtosis value will increase proportionally with general increases in the standard deviation. To keep the kurtosis parameter sensitive to single tooth damage only, the normalized kurtosis equation is given below.

$$NK = \frac{N \sum_{i=1}^{N} (d_i - \vec{d})^4}{\left[\sum_{i=1}^{N} (d_i - \vec{d})^2\right]^2}$$
(15)

where: NK = Normalized kurtosisd = Mean value of signal

As seen in Equation 15, the normalized kurtosis is simply the absolute kurtosis divided by the fourth power of the standard deviation, or the square of the variance. This allows the normalized kurtosis to be sensitive only to

peaks in the difference signal, regardless of changes in the standard deviation.

Because the normalized kurtosis values are non-dimensional, signals with different magnitudes but similar shapes will have similar values. A square wave is found to have a normalized kurtosis value of 1.0, for a sine wave the value is 1.5, and for a signal of essentially noise with a Gaussian amplitude distribution the normalized kurtosis value is found to be 3.0 [3]. Thus, a normalized kurtosis value greater than 3.0 is indicative of a peak or series of peaks existing in the signal. One pitfall with the normalized kurtosis parameter is its drastic decrease in peak sensitivity as the number of peaks of similar magnitudes increase beyond two. Thus for failures involving two or more teeth, the normalized kurtosis value may not increase far beyond 3.0, and the failure must be detected with the standard deviation level.

HILBERT TRANSFORM METHOD

A technique was developed by McFadden [2] to detect local gear defects, such as fatigue cracks, using the Hilbert transform. The basic theory behind this technique is that the sidebands around the dominant meshing frequency modulate the meshing frequency to produce the time average signal. Using the Hilbert transform, the signal can be demodulated, resulting in the corresponding amplitude and phase modulation functions. The phase modulation function is especially sensitive to fatigue cracks by indicating a phase lag at the point the cracked tooth goes into mesh [2].

The Hilbert transform is primarily used to transform a real time signal into a complex time signal with real and imaginary parts. The real part of the complex time signal is the actual time signal, and the imaginary part is the Hilbert transform of the actual time signal. This complex time signal is referred to as the analytic signal, and is given in the following equation.

$$AN(t) = A(t) + IH[A(t)]$$
 (16)

where: AN(t) = analytic signal A(t) = original signal

H[A(t)] = Hilbert transform of original signal

The Hilbert transform of a real valued time signal, A(t), is defined as the convolution of the time signal with $1/\pi t$, as shown in Equation 17.

$$H[A(t)] = 1/\pi \int_{-\infty}^{\infty} A(\tau)(1/(t-\tau)) d\tau$$
 (17)

An easier way of computing the Hilbert transform is to utilize the convolution theorem, i.e. the convolution of two signals in the time domain is equivalent to the inverse Fourier transform of the product of the two signals in the frequency domain. Thus, to determine the Hilbert transform of a real-valued time signal the signal must be transformed to the frequency domain, phase shifted by -90 degrees, and transformed back to the time domain. The determination of the Hilbert transform using this method is illustrated in Equation 18.

$$H[A(t)] = F^{-1}[(-i \text{ sqnf}) A(f)]$$

(18)

where: A(f) = Fourier transform of original signal sgnf = 1 for f>0, -1 for f<0 $F^{-1}[]$ = inverse Fourier transform

Once the analytic signal is found, the amplitude and phase modulation functions can be determined. The amplitude modulation function, or envelope of the signal, is the magnitude of the analytic signal, and is given in Equation 19.

$$|AN(t)| = [(A(t))^2 + (H[A(t)])^2]^{1/2}$$
 (19)

The phase modulation function, or instantaneous phase variation, is found by using Equation 20 below.

$$\phi(t) = \tan^{-1}[H[A(t)]/A(t)] - 2\pi f_0 t$$
 (20)

where: $f_0 = carrier frequency$

The phase modulation function, $\phi(t)$, represents the instantaneous phase angle variation with respect to the nominal gear speed [10]. The second term in Equation 20 represents a ramp function with a frequency equal to the carrier frequency, f_O , that is being modulated. This term is required to separate the instantaneous phase angle variations from the constant carrier frequency phase function.

Before creating the analytic signal, the original signal must be bandpass filtered about a dominant meshing frequency. This dominant frequency is either the primary mesh frequency or one of its harmonics, whichever appears to give the most robust group of sidebands. The width of the bandpass filter depends on the location of the meshing frequency to other meshing frequency harmonics. McFadden [2] suggests using a bandwidth giving the maximum amount of sidebands, even if they interfere with the sidebands from other harmonics. The reasoning here is to include as much of the primary modulating sidebands as possible, assuming that the interference from the other sidebands is negligible. The dominant frequency, or carrier frequency, is then removed and the resulting bandpassed sidebands are used in constructing the analytic signal and modulation functions.

As stated earlier, the phase modulation function appears to be the most sensitive of the two modulating functions to gear fatigue cracks. One particular feature of the phase modulation function is its ability to distinguish between an actual fatigue crack and a particle on the tooth. For a fatigue crack, the phase modulation function would experience a phase lag at the point the cracked tooth went into mesh. For a particle on the tooth, the phase modulation function would experience a phase lead when that tooth went into mesh [2].

CREST FACTOR

The crest factor, CF, is a simple measure of detecting changes in the signal pattern due to impulsive vibration sources, such as tooth breakage [3]. The crest factor is easily calculated by dividing the peak level of the signal average to the standard deviation of the signal average, as given in Equation 21.

$$CF = \frac{PL}{RMS}$$
 (21)

where: PL = peak level of signal RMS = standard deviation of signal average

Peaks in the signal will result in an increase in CF.

SIDEBAND LEVEL FACTOR

The sideband level factor, SLF, is a course indicator of single tooth damage or gear shaft damage. [8] To calculate SLF the first order sideband levels about the primary meshing frequency are divided by the standard deviation of the signal average, as seen in Equation 22.

$$SLF = \frac{FOSL}{RMS}$$
 (22)

where: FOSL = first order sidebands level RMS = standard deviation of signal

A bent or damaged shaft will result in an eccentric meshing pattern, directly reflecting an increase in the first order sidebands level, thus increasing the SLF value. It is unclear to the author how this factor is sensitive to single tooth damage.

ENERGY RATIO

The energy ratio (ER) is formulated to be a robust indicator of heavy uniform wear. This factor divides the standard deviation of the difference signal by the standard deviation of the signal composed of the regular frequency components only [3]. The difference signal and the regular components signal are the same as those defined previously in the FM4 analysis section. Equation 23 illustrates the ER factor.

where: RMSDS - standard deviation of difference signal RMSRC - standard deviation of regular components portion of the signal

For heavy wear, the mesh energy redistributes from the regular meshing frequency components to the modulating sidebands. This would result in an increase in the rms level of the difference signal, the numerator, and a decrease in the rms level of the regular components signal, the denominator. The net result would be an increase in the ER value in a more robust fashion than just the increase in the difference signal rms level, as calculated in the FM4 analysis.




Figure 2.1: Example of the Aliasing Problem.




Figure 2.2: Example of Leakage Problem.




Figure 2.3: Plot of Actual Signal Average, A(t), for One Shaft Revolution.




Figure 2.4: Plot of Regular Part, R(t), of Signal, for One Shaft Revolution.




Figure 2.5: Plot of Difference Signal, D(t), for One Shaft Revolution.




Figure 2.6: Plot of Squared Difference Signal, $[D(t)]^2$, for One Shaft Revolution

CHAPTER III EXPERIMENTAL PROCEDURES

The experimental portion of this study was conducted on a gear fatigue testing apparatus at NASA Lewis Research Center. Some background information on the fatigue tester will be presented in this chapter along with some details on the type of gears tested and their specific modes of failure. Also discussed in this chapter is the test instrumentation used, basic test set-up, and some frequency response measurements performed on the fatigue tester.

3.0 SPUR GEAR FATIGUE APPARATUS

The spur gear fatigue test apparatus at NASA Lewis Research Center first became operational in 1972. It has supplied the means to obtain crucial data on the effects of gear materials, gear surface treatments, and lubrication types and methods on the fatigue strength of aircraft quality gears. A cut away view and schematic diagram of the fatigue rig is shown in Figure 3.1. The test rig operates on the four-square, or recirculating torque, principal. As seen in Figure 3.1, the slave gear provides the recirculating torque by virtue of the hydraulic pressure acting on the load vanes. The tooth load is controlled by varying the amount of hydraulic pressure applied. Because of this recirculating torque principal, the drive motor provides only the power required to overcome the frictional losses at the desired running speed. The fatigue rig is capable of providing 75 kW (100 hp) at the designed operating speed of 10,000 rpm.

3.1 TEST GEARS

The gears tested using the fatigue test apparatus were all the same type and were subjected to identical loading conditions. All of the gears were made of AISI 9310 steel and were manufactured to AGMA class 13, aircraft quality, tolerances. The test gears have 28 teeth, a pitch diameter of 88.9 mm (3.50 in.), a pressure angle of 20 degrees, and a tooth face width of 6.35 mm (C.25 in.). The gears were loaded to 74.6 Nm (660 in 1bs), which resulted in a pitchline maximum hertz stress of 1.71 GPa (248 ksi), at an operating speed of 10,000 rpm. This represents a load of almost two times the normal design load for these gears. This testing procedure was used in order to obtain failures within a reasonable amount of test time. Table I lists the basic run parameters along with the number of hours to failure and the overall mode of failure for each run. As seen in this table, the only run parameters that differ between the runs are the surface treatment, and the type of lubricant.

Three different surface treatments were encountered in the eleven runs recorded. The gears in runs 1 through 7 all used the standard surface treatment, which is a final grinding operation to a surface finish of 356 mm rms (14 in. a.). The gears in runs 8 through 11 were shot peened and then honed. The main ason for shot peening is to create subsurface residual stresses that improve the pitting fatigue life of a gear. The gears in runs 8 through 10 used the SPH method, a high intensity shot peening method designed to produce high subsurface residual stresses. The gears in run 11 used the SPL method, a low intensity shot peening method designed to produce low subsurface residual stresses. The basic differences in life and failure modes, as seen in Table I, are primarily due to the different lubricants used.

TABLE I: Test Run Descriptions

RUN #	GEAR SURFACE TREATMENT	LUBRICATION	TOTAL LIFE (Hours)	BASIC FAILURE MODE
1	Standard	Type A Oil	49	Heavy Wear and Scoring
2	Standard	Type A Oil	36	Heavy Wear and Scoring
3	Standard	Type A Oil	9	Broke Tooth
4	Standard	Type A Oil	79	Heavy Wear and Scoring
5	Standard	Type A Oil	; 39	Heavy Wear and Scoring
6	Standard	Type A Oil	54 .	Heavy Wear and Scoring
7	Standard	Type A Oil	50	Broke Tooth
8	SPH	Type B Oil	520	No Failure (Single Pits)
9	SPH	Type B Oil	245	Single Pits
10	SPH	Type B Oil	339	Distributed Pits
11	SPL	Type B Oil	100	Distributed Pits

The two different oils used were classified type A oil and type B oil. The type A oil did not appear to have sufficient additives to provide a good Elasto-Hydro Dynamic (EHD) film thickness between the gear surfaces under extreme pressure. Without an adequate EHD film thickness the tooth surfaces obtain metal to metal contact, causing severe surface wear in a relatively short period of time. This is especially evident by the fact that the runs with the type A oil, runs I through 7, experienced heavy wear and surface scoring, and an average life of only 63 hours. Comparatively, runs 8 through 11, which used type B oil, experienced an average life of 300 hours, and subsurface fatigue failures in the form of pitting. The type B oil was a synthetic paraffinic oil with five volume percent of an extreme-pressure (EP) additive. This EP additive contains sulfur and phosphorus to enable the oil to keep an adequate EHD film thickness, minimizing metal to metal contact, even under extreme pressure.

The failure modes experienced by the various gears can be categorized into four basic damage related groups. These groups are: 1) Heavy wear and scoring, 2) Tooth breakage, 3) Single pits, and 4) Distributed pitting. The groups are based on the types and magnitude of damage found on the gears at the end of their runs. As indicated in Table I, run 8 was not classified as failed because it ran the maximum of 520 hours without exceeding the rig's vibration limit. The point of failure on the fatigue rig was determined by an overall vibration level from an accelerometer mounted on the rig. When this level reached the preset threshold, the rig shutdown and the run was classified as failed. Because the gears of run 8 experienced damage similar to another run, it is included in that run's group. A more detailed description is given in the following sections.

HEAVY WEAR AND SCORING:

Runs 1, 2, and 4 through 7 all experienced heavy wear and scoring uniformly over all the gear teeth. Figures 3.2 and 3.3 illustrate the wear patterns observed. As seen in these figures, the driven gear teeth experienced heavy wear and scoring at the tip portion of the tooth, a band of light pitting at the double to single tooth contact point, and heavy wear in the root region of the tooth. The driver gear teeth experienced similar wear patterns to the driven gear teeth, with the exception that the top portion of the tooth experienced lighter wear and scoring. Run 3 experienced the same wear patterns, although to a lesser degree due to the premature tooth failure at 9 hours into the test. The tooth surfaces appeared extremely course, especially in the regions of heavy wear and scoring.

TOOTH BREAKAGE

Runs 3 and 7 experienced tooth breakage during the fatigue test conducted. One tooth broke during run 3, causing the rig to shut down. A photograph of the fracture surface on the driven gear in run 3 is shown in figure 3.4. No detailed tooth crack propagation analysis was done on this tooth, however by visual inspection, there appeared to be only three distinct bands in the fracture area, with little evidence of fracture surface smoothing. This indicates that the time between crack formation and tooth fracture was relatively short. Run 7 also experienced tooth fracture; however, a failure in the automatic shut down mechanism did not stop the rig soon enough to prevent extensive damage to both gears. Thus no tooth fracture observations could be performed on run 7 gears.

SINGLE PITS

Runs 8 and 9 experienced similar damage in the form of single pits. Figures 3.5 and 3.6 illustrate the wear pattern found on the gears in run 8 at the end of the run. As seen in these figures all but one of the teeth on the driver and driven gear appear to have no sign of wear or pitting. A moderate pit appears on one tooth on the driver gear, and a larger pit appears on one tooth of the driven gear. Figures 3.7 and 3.8 illustrate the condition of the gears in run 9 at the point of failure. As seen in these figures, run 9 appears to have a similar failure pattern as found in run 8, with one exception. The large pit on the driven gear in run 9, although roughly the same size as the large pit in run 8, has it's major axis orientated across the gear tooth rather than along the tooth surface, as found in run 8. The defects found on the gears in runs 8 and 9 are characterized as single tooth defects.

DISTRIBUTED PITTING

Runs 10 and 11 experienced similar damage in the form of distributed pitting. Figures 3.9 and 3.10 illustrate the wear pattern present on the gear teeth in run 10. As seen in these figures, the driver gear exhibits a wear pattern of pitting bands with various intensities over 60 percent of the teeth. The driven gear displayed a similar pattern over a smaller region of teeth. Figures 3.11 and 3.12 illustrate the wear pattern present on the gear teeth of the gears used in run 11. As seen in these figures, the distributed pitting bands appear in a similar fashion to those in run 10, although to a lesser extent.

3.2 INSTRUMENTATION SET-UP

Figure 3.13 illustrates the test instrumentation set-up used in this study. As seen in this figure, two accelerometers, PCB Model 303A, were mounted on the rig close to the test gear mesh. The vibration signal from these accelerometers were recorded on a high precision tape recorder, Sangamo Weston Sabre VII, along with a once per revolution signal and a time code signal. A one minute signature was collected every three hours by using a timer to control recording time. The once per revolution signal was provided by a photon sensor that produced a narrow time pulse (.202 msec) for each revolution of the shaft. This signal was used for time synchronous averaging, and for determining the actual rotational speed. The time code signal was used during tape playback to distinguish between the separate data points, and to provide the exact time and day for each data point recorded.

After the runs were recorded, the data was then analyzed by replaying the tape into a single channel dynamic signal analyzer, with a dynamic range of 80 dB, and transferring it to a personal computer. The raw data was digitized and averaged by the analyzer and sent via a general purpose interface bus to an IBM compatible personal computer. The PC used a standard IEEE-488 interface board to control the analyzer and download the digitized data to DOS files on the PC's disc drive. The data transferred was the averaged amplitude and phase portions of the Fourier transform. The data was then analyzed by using several FORTRAN programs, each based on the various prediction techniques investigated.

The primary mesh frequency was an important factor in choosing and setting the test instrumentation. For the 28 teeth test gears operating at 10,000 rpm, the primary and first harmonic of the mesh frequency occurs at approximately 4700 Hz and 9400 Hz, respectively. The accelerometers were chosen with a frequency range of 0 to 10,000 Hz to capture the mesh frequencies. The recorder tape speed was set at 762 mm/sec (30 in/sec) with wideband group I FM recording electronics to give a recording frequency range of 0 to 20 000 Hz, with a

dynamic range of 50 dB. FM recording was used to give good amplitude stability, independent of the storage characteristics of the recording tape. Using a tape reel with a 2800 m length (9200 ft), one reel translated to 184 hours of coverage, or 7.7 days. This was considered a reasonable time interval, since some of the tests ran continuously for nearly 21 days. The analyzer was set up to time average the signal over 40 averages for each data point, using the shaft synchronous signal as the input trigger. The FFT was performed over the range 0 to 12,500 Hz.

During the first stages of the data analysis process, it was discovered that the side accelerometer provided the same information as the top accelerometer. In fact, the meshing frequency components in the side accelerometer signal were not as dominant as in the top accelerometer signal. This is probably due to the fact that the top accelerometer is orientated to sense the vertical vibrations of the box. This is coincident with the direction of the primary component of the tooth mesh loads, resulting from the side by side arrangement of the test gears. Thus, the vibration data from the top accelerometer was used primarily in this analysis, with the side accelerometer data used as a backup.

3.3 FREQUENCY RESPONSE MEASUREMENTS OF FATIGUE RIG

During the initial stages of the data analysis, it was discovered that the recorded time signals contained frequency data not coherent with the gear meshing frequencies. Figures 3.14 through 3.17 illustrate the presence of the extraneous frequencies as run 7 progressed from initiation to failure. This phenomenon was found in all of the runs recorded. As seen in these figures, certain frequencies, not coincident with the gear mesh frequencies or associated sidebands, increase drastically through the run cycle. The primary mesh frequency, highlighted by an arrow in the figures, is in most cases lower in magnitude than the extraneous frequencies. The amplitudes near 3000 and 6000 Hz appear to be the most dominant. If the gear failure prediction techniques were applied to the signals given in Figures 3.14 through 3.17, results not indicative of the actual gear condition would dominate. Therefore, it was necessary to investigate these extraneous frequency components and determine their origin. If these components could be attributed to a known source, they then could be removed from the signal with confidence.


A number of possible sources of the extraneous frequency components were investigated. Because the signal is synchronous time averaged with the gear shaft rotation, the only possible periodic sources coincident with the shaft speed are the roller bearings, ball bearings, and the slave gear. The location of these components are given in Figure 3.1. Based on the assumptions of a single defect and that the rolling elements remain in rolling contact, bearing defect frequencies were calculated using existing equations. [11] These frequencies covered outer race, inner race, and rolling element defects, and fell within the 64 to 1400 Hz range. These explain some lower frequency components, but they were too low for the dominant frequencies in question. The slave gear primary mesh frequency was found to be 6084 Hz, which is near some of the extraneous frequencies, but it was not exactly coincident. The next step in identifying the frequencies in question was to determine the modal parameters of the rig using frequency response measurements.

Frequency response measurements performed on the fatigue rig illustrated how the dynamics of a transfer path can critically alter a signal. The frequency response measurements were taken at two locations on the box with the reference point being the top accelerometer location, as illustrated in Figure 3.18. For these tests, the impact method was used. A modal hammer with


a steel tip and force transducer was used as the input to the system, with the top accelerometer serving as the output signal. The force transducer and accelerometer were input into a two channel dynamic signal analyzer capable of calculating the frequency response function. Twenty averages were taken for each measurement. The FFT of the input impulse is given in Figure 3.19. As seen in this figure, the impulse adequately excites the frequencies in question.

Results from the frequency response measurements directly correlated the unexplained frequency components to the path modes. The frequency response measurement of the path from the top of the bearing cover to the top accelerometer location is given in Figure 3.20. The coherence function for this measurement, shown in Figure 3.21, indicates the output is almost totally a function of the input up to 10,000 Hz. Figures 3.22 and 3.23 give the frequency response measurement and its' coherence for the path from the gear shaft to the top accelerometer location. As seen in Figures 3.20 and 3.22, the vibration path from the gear to the top accelerometer drastically alters the signal due to the natural frequencies inherent in the box. As the gears experience wear, the meshing energy redistributes from the primary meshing frequencies to a wide range of frequencies in the frequency spectrum. When these frequencies become coincident with the natural frequencies associated with the transfer path the corresponding amplitudes increase. This phenomenon is clearly illustrated in the 3000 Hz region and in the region within the 5000 to 8000 Hz band in Figures 3.14 through 3.17. The frequencies in these regions are coincident with the natural frequencies associated with the transfer path, as evident in Figures 3.22 and 3.23.

Most of the frequencies in guestion were found to be a direct result of the structural dynamics of the transfer path and as such are not desired as inputs for the various failure prediction techniques. Therefore these frequencies were removed from the processed signals by filtering techniques. The functions illustrated in Figures 3.20 and 3.22 were used to determine the frequencies to remove. Careful attention was placed on eliminating only those frequencies known to be dominant, and to allow frequencies adjacent to the mesh frequencies to be passed. Fortunately, the primary mesh frequency region had no dominant natural frequencies present; however some of the upper sidebands were eliminated with the filtering. All of the analysis methods were applied to the filtered signal. It is acknowledged that some of the desired signal was eliminated with the filtering; however, it is assumed that the errors associated with the filtering process are less than those associated with leaving the dynamic effects of the transfer path in the signal. The frequency bands most commonly filtered out were between 400 and 1500 Hz, 2400 and 3700 Hz, and 5200



b)




Gear Fatigue Test Apparatus.
a) Schematic Diagram. Figure 3.1:

- b) Cutaway View.

Uniform Damage KEY HEAVY SCORING LIGHT SCORING HEAVY WEAR LIGHT PITTING BAND

None


DRIVEN GEAR




Tooth Specific Damage

None

Figure 3.2: Illustration of Tooth Damage Found on Gears in Runs 1, 2, and 4 through 6.



a) driver gear teeth



b) driven gear teeth
Fraging 3 3 Photographs of uniform damage tennal on gears in Run 1






Figure 3.4: Photograph of tooth fracture area on driven gear in Run 3



DRIVEN GEAR



Tooth Specific Damage




Figure 3.5 : Illustration of Tooth Damage Found on Gears in Run 8.



a) driver gear tooth



b) driven gear tooth
Figure 3.6: Photographs of tooth damage found
on gears in Run 8





Figure 3.7: Illustration of Tooth Damage Found on Gears in Run 9.



a) driver gear tooth



b) driven gear tooth
Figure 3.8: Photographs of tooth damage found
on gears in Run 9





Figure 3.9: Illustration of Tooth Damage Found on Gears in Run 10.




a) Tooth # 12, driver gear



b) Tooth # 8, driver gear
Figure 3.10: Photographs of tooth damage found
on gears in Run 10



c) Tooth # 13, driven gear



d) Tooth # 10, driven gear Figure 3.10 : Concluded.




Figure 3.11: Illustration of Tooth Damage Found on Gears in Run 11.




a) Tooth # 14, driver gear



b) Tooth # 16, driver gear
Figure 3.12: Photographs of tooth damage found
on gears in Run 11



c) Tooth # 8, driven gear



d) Tooth # 4, driven gear Figure 3.12 : Concluded.




Figure 3.13: Illustration of Test Set-up.




Figure 3.14: Frequency Spectrum of Run 7 at Start of Run.




Figure 3.15: Frequency Spectrum of Run 7 After 32 Hours of Running.




Figure 3.16: Frequency Spectrum of Run 7 After 44 Hours of Running.




Figure 3.17: Frequency Spectrum of Run 7 After 50 Hours of Running.

Test	Modal Hammer Location	Accelerometer Location
Test 1	В	A
Test 2	c	Α




Figure 3.18 : Illustration of Frequency Response Measurement Locations.




Figure 3.19 : Power Spectrum of Input to Frequency Response Measurements.




Figure 3.20: Magnitude of Frequency Response Function, Test 1, Between the Top Accelerometer Location and the Top of the Bearing Housing.




Figure 3.21: Coherence Function of Test 1 Measurements, Between the Top Accelerometer Location and the Top of the Bearing Housing.




Figure 3.22: Magnitude of Frequency Response Function, Test 2, Between the Top Accelerometer Location and the Top of the Gear Shaft.




Figure 3.23: Coherence Function of Test 2 Measurements, Between the Top Accelerometer Location and the Top of the Gear Shaft.

CHAPTER IV APPLICATION AND RESULTS

The main portion of this study was the application of the various gear fault methods to experimental data. Chapter 4 briefly explains the various computer programs developed that apply each of the techniques. Also, this chapter presents and discusses the results of these techniques.

4.0 PROGRAMS DEVELOPED

To apply the various predictive techniques to the experimental data, several computer programs were developed. The programs are written in FORTRAN, and listed in the appendices. For those methods requiring Fourier analysis, the standard FFT algorithm developed by Cooley and Tukey [12] is included in each routine. The computer programs use the data files created using the dynamic signal analyzer. The results of the programs are stored in data files that can be plotted using commercially available routines.

The programs use the various equations and theories presented in Chapter II. Program EFMO.FOR, listed in Appendix A, calculates the FMO parameter for each time data point in the run. Program TFM4.FOR, listed in Appendix B, applies the FM4 techniques to the data by calculating the normalized kurtosis and standard deviation values of the difference file for each time data point. Program HILB.FOR, listed in Appendix C, uses the Hilbert transform technique to calculate the instantaneous phase variations as a function of shaft position for each time data point. Program PARAM.FOR, listed in Appendix D, calculates the crest factor, sideband level factor, and energy ratio for each time data point.

The computer programs were verified by inputting known functions. As an example of this, the kurtosis and standard deviation routines in program TFM4.FOR were verified by inputting a sine wave and square wave, and comparing the results with exact solutions. Table II illustrates the results of this verification test. The square wave did not provide as high a correlation as the sine wave, mainly because the input square wave contained some irregularities.

TABLE II: Program TFM4.FOR routines verification

Routine - Input	Measured value	Actual Value	% Difference
Standard Deviation			
- Sine wave	1.3472	1.3435	0.28 %
- Square Wave	1.9180	1.9000	0.95 %
Normalized Kurtosis	3		
– Sine Wave	1.4896	1.5000	0.69 %
- Square Wave	1.0404	1.0000	4.04 %

4.1 RESULTS

FMO METHOD

The FMO method did very well at detecting a majority of the heavy wear and scoring damage experienced by runs 1, 2, and 4 through 6, as it was designed to do. Figures 4.1 through 4.5 plot the three parameters: a) FMO, b) Peak-to-peak level (the FMO numerator), and c) Sum of mesh amplitudes (the FMO denominator), for these runs. As seen in these figures, all of the runs, except run 1, exhibit an increase in the FMO parameter, plot a, with increasing run time. These same runs also show a decrease in the primary meshing frequency and second harmonic amplitude sum, plot c, with increasing run time. It is interesting to note that in Figure 4.3, run 4, the FMO plot indicates heavy damage at 49 hours into the test, due to a decrease in meshing frequency amplitudes, whereas the peak-to-peak level, plot b, starts increasing at 55 hours and peaks at 64 hours. Run 1 did not provide good FMO trends even though the gear experienced similar damage.

FMO is designed to detect major tooth faults such as the breakage experienced during runs 3 and 7. Because no data was collected at the time of breakage, or immediately after it occurred, FMO was unable to be applied to these

runs.

FMO was applied to runs 8 and 9, which experienced single tooth pits, even though FMO is not designed to detect single tooth faults. As seen in Figure 4.6, run 8 shows a gradual overall increase in FMO values with run time, and a gradual overall decrease in meshing frequency amplitudes. This trend in run 8 could be attributed to its long run time of 520 hours, which may have resulted in uniform wear not observable by visual inspection. Run 9 showed no logical trend with FMO.

FMO was also applied to runs 10 and 11, where the gears experienced distributed pitting damage. As seen in Figures 4.7 and 4.8, the FMO values for both runs increase near the end of the run time. The meshing frequency amplitudes show an overall decrease with increasing run time, indicating the existence of heavy wear. Since FMO does not respond to specific tooth damage, it is reasonable to assume that the pitting occurred over enough teeth to act as a uniform wear phenomenon, and thus was capable of being detected by FMO. It is interesting to note that for run 10, Figure 4.7, the FMO value increased sharply at the 220 hours point. At this same point in time, the meshing frequencies amplitude sum decreased sharply, possibly indicating the time when most of the major distributed pitting happened. The peak-to-peak level at this period contained no major fluctuation, only a gradual increase in level.

FM4 METHOD

The normalized kurtosis parameter was unable to detect the single tooth faults found in the test gears. Runs 8 and 9 experienced specific faults in the form of one large and one small pit. As seen in Figures 4.9 and 4.10, these defects had limited effect on the kurtosis parameter. The fatigue cracks that resulted in broken teeth in runs 3 and 7 were also undetected by the kurtosis parameter, as seen in Figure 4.11 for run 7. The normalized kurtosis values for the two data points of run 3, not plotted, were 2.98 and 3.04. It should be noted that the data points collected at the end of runs 3 and 7 were taken 3 and 2 1/2 hours, respectively, prior to the point of tooth fracture. Only run 11 had limited success using the normalized kurtosis parameter. As seen in Figure 4.12, a normalized kurtosis value of 5.3 was registered at 88 hours of operation; however, the value decreased to approximately 3.0 at 96 hours. One explanation for this trend is that only one large pit was

present at the 88 hour mark. As more pits formed, the number of peaks increased causing the normalized kurtosis value to decrease.

The standard deviation parameter, although used in FM4 for single tooth failure detection, proved to be a good indicator of heavy wear. Runs 1, 2 and 4 through 6 all experienced heavy wear and scoring. The standard deviation plots for these runs, given in Figures 4.13 through 4.17, all show clear trends of increasing values near the end of each run with only minor fluctuations. The standard deviation plot of run 1, Figure 4.13, indicates a definite trend as compared to the FMO plot of run 1, which did not respond to the heavy wear.

Plots of the squared difference signal of FM4 provided some general information on the wear condition of the tooth surfaces. The plots of the squared difference signal are presented as a function of gear rotation. Two plots are given in each figure. The top graph (a) represents the data collected at the beginning of the run and the bottom graph (b) represents the data collected at the end of the run. The runs that experienced heavy wear and scoring show definite increases in the difference signal between the start and end plots throughout the gear rotation. An example of this is given in Figure 4.18. The specific pits of runs 8 and 9 were not seen in their squared difference signal plots. The wear pattern on the driver gear in run 10 is reflected in the squared difference signal given in Figure 4.19. Run 11 experienced similar wear as run 10; however, the wear pattern was not easily detected in its squared difference signal plot.

HILBERT TRANSFORM METHOD

The Hilbert transform method was primarily developed to detect fatigue cracks using the phase modulation function described in Section 2.1. Runs 3 and 7 are the only runs that experienced tooth fracture due to probable fatique cracks. Figure 4.20 plots the phase modulation function for the two data time intervals of run 3. Several phase shifts can be seen in the first plot, 2 hours into the run; however, they are not reflected in the second plot representing the last data point. Nothing in the last data point plot indicates the presence of a fatigue crack, i.e. no large phase lags present. Figure 4.21 plots the phase modulation function for the last two data time intervals of run 7. The only possible indication of a fatigue crack starting is the phase lag at approximately half way into the shaft rotation, near the 180 degrees point. The phase lag starts during the second to last time interval, 47 hours into the run, and grows to the size seen in the last interval, 50 hours into the run. More data after this last data point is required to claim with any certainty that this phase lag represents an actual fatigue crack. Again it must be noted that the last data points for runs 3 and 7 were taken 3 and 2 1/2 hours, respectively, before tooth fracture.

CREST FACTOR AND SIDEBAND LEVEL FACTOR

Both the crest factor and sideband level factor are designed to respond to signals with impulsive vibration sources, specifically tooth breakage. Runs 3 and 7 were the only runs that experienced tooth fracture. The crest factor and sideband level factor for run 7 are plotted in Figure 4.22. Run 3 was not plotted, since it had only two time intervals recorded before fracture occurred. As seen in Figure 4.22, neither the crest factor (plot a) or the sideband level factor (plot b) display any indication that a tooth fracture was going to occur. These parameters may be sensitive to tooth breakage only after it has happened. Unfortunately, no data was collected during or after the fracture occurred.

ENERGY RATIO

The energy ratio is designed to be a robust indicator of heavy wear. Runs 1, 2, and 4 through 6 experienced heavy wear and scoring. The energy ratio graphs of these runs are given in Figures 4.23 through 4.27. As seen in these figures, the energy ratio does not provide as good an indication of wear as the FMO and the standard deviation methods. The energy ratio graphs for runs 10 and 11 are given in Figure 4.28 and 4.29, respectively. Of these two runs, only run 10 had an increase in its' energy ratio parameter.





Figure 4.1: Plot of FMO Parameters for Run 1.
a) FMO Parameter.
b) Numerator of FMO.
c) Denominator of FMO.



Plot of FMO Parameters for Run 2.
a) FMO Parameter.
b) Numerator of FMO.
c) Denominator of FMO. Figure 4.2:





Figure 4.3: Plot of FMO Parameters for Run 4.
a) FMO Parameter.
b) Numerator of FMO.
c) Denominator of FMO.



Plot of FMO Parameters for Run 5.
a) FMO Parameter.
b) Numerator of FMO.
c) Denominator of FMO.





Figure 4.5: Plot of FMO Parameters for Run 6.
a) FMO Parameter.
b) Numerator of FMO.
c) Denominator of FMO.



Plot of FNO Parameters for Run 8.
a) FNO Parameter.
b) Numerator of FNO.
c) Denominator of FNO.




Figure 4.7: Plot of FMO Parameters for Run 10.
a) FMO Parameter.
b) Numerator of FMO.
c) Denominator of FMO.




Figure 4.8: Plot of FMO Parameters for Pun 11.
a) FMO Parameter.
b) Numerator of FMO.
c) Denominator of FMO.




Figure 4.9: Plot of Normalized Kurtosis (FM4) for Run 8.




Figure 4.10: Plot of Normalized Kurtosis (FM4) for Run 9.




Figure 4.11: Plot of Normalized Kurtosis (FM4) for Run 7.




Figure 4.12: Plot of Normalized Kurtosis (FM4) for Run 11.




Figure 4.13: Plot of Standard Deviation of Difference Signal (FM4) for Run 1.




Figure 4.14: Plot of Standard Deviation of Difference Signal (FN4) for Run 2.




Figure 4.15: Plot of Standard Deviation of Difference Signal (FM4) for Run 4.




Figure 4.16: Plot of Standard Deviation of Difference Signal (FN4) for Run 5.





Figure 4.17: Plot of Standard Deviation of Difference Signal (FM4) for Run 6.







Figure 4.18: Plot of Squared Difference Signal For Run 4.
a) At Start of Run.
b) At End of Run.









Figure 4.19: Plot of Squared Difference Signal For Run 10.
a) At Start of Run.
b) At End of Run.







Figure 4.20: Plot of Phase Modulation Function for Run 3.
a) At a Run Time of 2 Hours.
b) At a Run Time of 5 Hours.










Figure 4.21: Plot of Phase Modulation Function for Run 7.
a) At a Run Time of 47 Hours.
b) At a Run Time of 50 Hours.





Plot of Crest Factor and Sideband Level for Run 7.
a) Crest Factor.
b) Sideband Level Factor. Figure 4.22 :




Figure 4.23: Energy Ratio Plot for Run 1._




Figure 4.24: Energy Ratio Plot for Run 2.




Figure 4.25: Energy Ratio Plot for Run 4.




Figure 4.26: Energy Ratio Plot for Run 5.




Figure 4.27: Energy Ratio Flot for Run 6.




Figure 4.28: Energy Ratio Plot for Run 10.




Figure 4.29: Energy Ratio Plot for Run 11.

CHAPTER V CONCLUSIONS AND RECOMMENDATIONS

The type and extent of the damage found on the eleven test gears can be classified into four major failure modes. The first mode can be described as heavy wear and scoring (runs 1,2 and 4 through 6). The second mode is tooth breakage (runs 3 and 7). The third failure mode is a result of single pits (runs 8 and 9). And the last mode is described as distributed pitting (runs 10 and 11). These classifications will be used to evaluate the overall performance of the various methods.

HEAVY WEAR AND SCORING

The FMO parameter and the standard deviation of the difference signal from FM4 did very well at detecting this heavy wear condition. Results from both techniques support the theory that as a gear wears the meshing energy redistributes from the meshing frequencies to its sidebands and beyond.

The energy ratio method does not predict wear as well as the FMO and the standard deviation methods. The most probable reason for this is in the denominator of the energy ratio. The denominator is the standard deviation of the regular signal, or the meshing frequencies and their first order sidebands. The first order sidebands should not be considered part of the regular signal for this parameter. This is because they increase in amplitude similar to the higher order sidebands as the gear wears.

An enhanced method using a combination of these techniques could prove to be a reliable uniform gear wear detection technique. One such method could use the standard deviation of the difference signal divided by the sum of the amplitudes of the meshing frequencies (primary and first harmonic). Because wear becomes detectable in the overall vibration level only when it reaches a critical stage, a robust wear indication parameter would be highly useful.

TOOTH BREAKAGE

The fatigue cracks that resulted in the broken teeth in runs 3 and 7 were not detected by any of the methods. The normalized kurtosis parameter of FM4, the phase modulation function from the Hilbert transform technique, the crest factor, and the sideband level factor are all conditioned to react to tooth cracks to varying degrees; however, none detected any fault prior to tooth fracture. The most probable reason for this can be due to the high speed and high loading conditions the test gears are subjected to. With these operating conditions, the time elapsed between initiation of the fatigue crack and eventual tooth fracture is probably orders of magnitude lower than the three hour data interval time. Since the last time records collected from runs 3 and 7 were 3 and 2 1/2 hours before actual tooth fracture, respectively, data necessary to indicate the fatigue cracks were missed.

SINGLE PITS (TOOTH SPECIFIC FAULTS)

The single pits were not detected by the normalized kurtosis in the FM4 technique. The normalized kurtosis of the difference signal is designed to detect tooth specific faults; however, no indication of these defects were recorded with this parameter. Although they physically appear large, they may have not affected the signal to the point detectable by FM4.

DISTRIBUTED PITTING

The distributed pitting damage was detected with the the FMO parameter. It is theorized that the pitting happened over enough of the teeth to act as a

uniform wear phenomenon, thus becoming detectable to FMO. The square of the difference signal from the FM4 method did appear to reflect the actual wear pattern on some of the runs.

RECOMMENDATIONS

It is recommended that any future tests of this nature be implemented on an on-line basis for three major reasons. The first stems from the fact that a passive system cannot call attention to events which happen faster than the time between the data time intervals. A continuous, or on-line, system can monitor the test and record data as fast as the electronics will allow when certain parameters signal a significant event in progress. This may be the only way to provide data on the fatigue cracks that lead to tooth fracture on this rig. Another major reason is that in an on-line system it is possible to have the system stop the rig when a parameter detects a fault. The fault can be analyzed to determine its extent and nature at the exact time it is detected. This would provide an excellent means of verifying and linking certain parameters with certain faults as they naturally happen. The final advantage of an on-line system is the ability of storing data in digital form, eliminating the FM recorder. In this test, because the dynamic range of the recorder was only 50 dB, some of the lower energy components of the signal were lost. Using the analyzer to digitize and store the data directly would increase the dynamic range to 80 dB, thereby capturing more of the lower energy signals.

It is also recommended that frequency response measurements be performed between the gear shaft and the proposed measurement sites. The dynamics of the transfer path in this study were found to significantly affect the output signal, especially as the gear began to wear. An understanding of the structural dynamics associated with the transfer path is required to apply prediction techniques only to the portion of the signal reflecting the actual gear mesh

dynamics.

ACKNOWLEDGEMENTS

I would like to express my appreciation to my program advisor Dr. William J. Atherton, his guidance and advice have been invaluable. Also, I would like to thank Dr. Patrick M. Flanagan, Dr. John L. Frater, and Dr. Majid Rashidi for their participation on my advisory committee. I would like to express my appreciation to Dr. John Coy and NASA Lewis Research Center for providing the opportunity to perform this research in the important field of gear diagnostics. Also, I would like to thank Dennis Townsend for sharing with me his extensive knowledge in the area of gear failure mechanics, and Dean Reemsnyder for providing me with pertinent information on the importance of condition monitoring in aviation. I also express my appreciation to Ron Huff for his valuable advice in the initial stages of this project.

APPENDIX A - SOURCE CODE FOR EFMO.FOR

```
0001
     0002
                                                                        C
0003
     C
                                                                        C
0004
     C
           PROGRAM: EFMO.FOR
                                CREATED: 05-05-89 REVISED: XX-XX-XXXX C
     C
                                                                        C
0005
0006
     C
                                                                        C
           PROGRAMMER: J.J. ZAKRAJSEK
0007
     C
                                                                        C
     C
                                                                        C
8000
           THIS PROGRAM COMPUTES AN FNHANCED VERSION OF THE COURSE FAULT
           DETECTION PARAMETER (EFMO). IT IS THE BASIC FMO PARAMETER,
                                                                        C
0009
     C
                                                                        C
0010 C
           AS PROPOSED BY STEWART IN HIS 1977 PAPER, HOWEVER, THE PEAK
                                                                        C
0011
     C
           TO PEAK VALUE USED IN EFMO IS THE PEAK TO PEAK OF THE
0012
     C
           RECONSTRUCTED TIME SIGNAL AFTER BAND WIDTH FILTERING IS
                                                                        C
0013
     C
           PERFORMED. THE RECONSTRUCTED TIME SIGNAL USED IS THE "FTIME"
                                                                        C
0014
     C
           FILE CREATED AFTER A-B-C FILTERING DURING FM4 CALCULATIONS IN
                                                                        C
0015 C
           PROGRAM TFM4.FOR. THE AMPLITUDES AT THE MESH FREQUENCY AND ITS C
0016
     С
           HARMONIC ARE RETRIEVED FROM PREVIOUS FMO CALCULATIONS.
                                                                        C
0017
     C
                                                                        C
0018
                                                                        C
0019
     0020 C
0021
           DIMENSION TIME(50), ECFDP(50), PKTPK(50), ASUM(50), FSIG(220)
0022
           CHARACTER*22 FMOF, EFMOF, LIST2, FTIMEF
0023
0024
     C ENTER INITIAL DATA AND FILE NAMES
0025
0026
           PRINT *, 'ENTER NUMBER OF DATA POINTS'
0027
           READ(*,*) K
           PRINT *, 'ENTER OUTPUT DATA FILE NAME (\TXXE*FMO.DAT)'
0028
0029
           PRINT *, '/ * - FILTER CONFIG USED IN RECONSTRUCTED FILTER)'
0030
           READ (* (A22)') EFMOF
0031
           OPEN(7, FILE-EFMOF, IOSTAT-IOERR)
0032
           IF (IOERR .GT. 0) GOTO 999
0033
           PRINT *, 'ENTER FILE NAMES ARRAY FILE (\TXXLIST2.FIL)'
           READ(*, '(A22)') LIST2
0034
0035
           OPEN (8, FI'E-LIST2, IOSTAT-IOERR)
0036
           IF(IOERR .GT. 0) GOTO 999
0037
           PRINT *. 'ENTER PREVIOUS TEMO FILE (\TXXFNO.DAT)'
           READ(*,'(A22)') FMOF
0038
0039
           OPEN(9, FILE-FMOF, IOSTAT-IOERR)
0040
           IF(IOERR .GT. 0) GOTO 999
0041
           PRINT *, 'ENTER NUMBER OF TIME DATA POINTS PER CYCLE (INTEGER)'
0042
           READ(*,*) NCYC
0043
0044
     C START TIME LOOPING, PROCESSING DATA AT EACH TIME INTERVAL
0045
0046
           DO 300, J-1,K
0047
           PRINT *, 'ACCESSING AND PROCESSING DATA FILE NO: '.J
           READ(8,800) FTIMEF
0048
0049
      800
           FORMAT(A18)
0050
           READ(9,900) TIME(J), ASUM(J)
      900 FORMAT(FB.2,44X,F12.8)
0051
0052
           OPEN(4, FILE-FTIMEF, IOSTAT-IOERR)
0053
           IF (IOERR .GT. 0) GOTO 999
0054
0055
     C READ IN AND FIND THE MAX AND MIN VALUES OF THE FILTERED TIME RECORD
```

APPA

```
0056
0057
               AMAX = 0.0
0058
               BMAX = 0.0
0059
               DO 100, I-1, NCYC
0060
               READ(4,400) FSIG(I)
       400
0061
               FORMAT(20X, F16.8)
0062
               IF( FSIG(I) .GT. AMAX ) THEN
0063
               AMAX = FSIG(I)
0064
               ENDIF
0065
               IF( FSIG(I) .LT. BMAX ) THEN
0066
               BMAX - FSIG(I)
0067
               ENDIF
0068
       100
               CONTINUE
0069
0070 C DETERMINE PK TO PK OF FILTERED SIGNAL, AND ENHANCED FMO VALUE
0071 C
0072
            PKTPK(J) = AMAX - BMAX
0073
            ECFDP(J) = PKTPK(J)/ASUM(J)
0074 C
0075 C CLOSE LOOP DEPENDANT FILE, AND WRITE CALAULTED DATA
0076 C
0077
            CLOSE(4, IOSTAT-IOERR)
0078
            IF (IOERR .GT. 0) GOTO 999
0079
            WRITE (7,700) TIME(J), ECFDP(J), PKTPK(J)
0080
       700
            FORMAT(F8.2.F10.4.F10.4)
0081
       300
            CONTINUE
0082
     C
0083
            PRINT *, 'EFMO VALUES STORED IN FILE;', EFMOF
0084
0085
       999
            PRINT *, 'ERROR NO.', IOERR
0086
            END
```

APPENDIX B - SOURCE CODE FOR TFM4.FOR

```
0002 C
0003 C
                                                                      C
                                                                      C
0004 C
            PROGRAM: TFM4.FOR
                                              REVISION:
                                                            NEW
                                                                      C
0005 C
                                              REVISION DATE: NEW
                                                                      C
0006 C
            PROGRAMMER: J.J. Zakrajsek
                                              DATE CREATED: 04-13-89
                                                                      C
0007
            THIS PROGRAM COMPUTES THE FAULT DETECTION PARAMETERS AND THE
                                                                      C
8000
0009 C
            RELATED MATHEMATICS FOR THE FM4 DIAGNOSTIC THEORY PROPOSED
                                                                      C
0010 C
            IN STEWART'S 1977 PAPER " SOME USEFULL DATA ANALYSIS
                                                                      C
            TECHNIQUES FOR GEARBOX DIAGNOSTICS." THESE INCLUDE PARAMETERS C
0011 C
                                                                      C
0012 C
            SUCH AS STANDARD DEVIATION AND KURTOSIS.
                                                                      C
0013 C
                                                                      C
0014 C
0016 C
0017
           DIMENSION TIME(50), DYO(220), DSYO(220), RMAG(401)
0018
           DIMENSION FREQ(401), FMAGRMS(401), FMAG(401), PHAS(401), FFMAG(401)
0019
           DIMENSION TO(1024), YO(1024), FYO(1024), RFYO(1024)
0020
           CHARACTER*22 TIMEF, FM4F, LIST1, LIST2, AMPLF, PHASEF, ATIME
0021
           CHARACTER*18 FTIME, RTIME, NTIME, STIME
0022
           COMPLEX X(1024)
0023 C
0024
     C ENTER GENERAL PARAMETERS AND FILE NAMES
0025 C
0026
           PRINT *, 'ENTER NUMBER OF DATA POINTS (INTEGER)'
0027
           READ(*,*) K
0028
           PRINT *. 'ENTER MESHING FREQUENCY, (XXXX.XX)'
0029
           READ(*,*) PRIM
0030
           PRINT *. 'ENTER ROTATIONAL SPEED IN REV/SEC (Hz)'
           READ(*,*) SPD
0031
           PRINT *, 'ENTER NUMBER OF TIME DATA POINTS PER CYCLE'
0032
           PRINT *, '( INTEGER, 220 MAXIMUM )'
0033
0034
           READ (*,*) NCYC
0035 C
0036 C DEFINITION OF OPTIONAL FILTER BANDS A. B. AND C
0037 C
           PRINT *, '3 BAND WIDTH DIGITAL FILTERS CAN BE SELECTED.'
0038
0039
           PRINT *, 'DATA EXISTING WITHIN THE THREE BANDS WILL BE FILTERED'
0040
           PRINT *. 'OUT OF THE ANALYSIS BEFORE IT BEGINS FM4 CALCULATIONS'
           PRINT *. '
0041
0042
           PRINT *, 'TO USE FILTERS ENTER (1)'
0043
           PRINT *, 'TO SKIP FILTERS ENTER (0)'
0044 C
0045
           READ (*,*) NN
0046
           IF (NN .LT. 1) GOTO 123
0047 C
0048
           PRINT *. 'ENTER STARTING FREQUENCY OF FILTER A'
0049
           READ(*,*) AFILTS
           PRINT *. '********* ENTER END FREQUENCY OF FILTER A'
0050
0051
           READ(*,*) AFILTE
0052
           PRINT *, 'ENTER STARTING FREQUENCY OF FILTER B'
0053
           READ(*.*) BFILTS
           PRINT *. '********* ENTER END FREQUENCY OF FILTER B'
0054
           READ(*,*) BFILTE
0055
```

```
0056
            PRINT *. 'ENTER STARTING FREQUENCY OF FILTER C'
0057
            READ(*.*) CFILTS
            PRINT *. '******** ENTER END FREQUENCY OF FILTER C'
0058
0059
            READ(*,*) CFILTE
0060
      123 CONTINUE
0061 C
0062 C INPUT PRIMARY FILE NAMES FILES
0063 C
            PRINT *. 'ENTER TXXTIME.FIL INPUT FILE NAME'
0064
0065
            READ(*,'(A22)') TIMEF
            PRINT *, 'ENTER TXXFM4*.FIL OUTPUT FILE NAME'
0066
            PRINT *. '( * = FILTERS A-B-C VERSION)'
0067
            READ(*,'(A22)') FM4F
0068
            PRINT *, 'ENTER TXXLIST1.FIL INPUT FILES FILENAME'
0069
            READ(*,'(A22)') LIST1
0070
            PRINT *. 'ENTER TXXLIST2.FIL OUTPUT FILES FILENAME'
0071
0072
            READ(*,'(A22)') LIST2
0073 C
0074 C OPEN PRIMARY FILES
0075 C
0076
            OPEN(1, FILE-TIMEF, IOSTAT-IOERR)
0077
            IF(IOERR .GT. 0) GOTO 999
0078
            OPEN(2, FILE-FM4F, IOSTAT-IOERR)
0079
            IF(IOERR .GT. 0) GOTO 999
0800
            OPEN(3, FILE-LIST1, IOSTAT-IOERR)
0081
            IF(IOERR .GT. 0) GOTO 999
0082
            OPEN(4.FILE-LIST2.IOSTAT-IOERR)
0083
            IF(IOERR .GT. 0) GOTO 999
0084 C
0085 C STARTING POINT OF FM4 ANALYSIS LOOP FOR EACH DATA POINT
0086 C
0087
            DO 111, J-1,K
0088
            PRINT *, 'PROCESSING DATA POINT NO. : '.J
0089
            READ(1,100) TIME(J)
0090
        100 FORMAT(F10.2)
            READ(3,300) AMPLF, PHASEF, ATIME
0091
0092
        300 FORMAT(A22,A22,A22)
0093
            READ(4,400) FTINE.RTINE.NTINE.STIME
0094
        400 FORMAT(A18,A18,A18,A18)
0095 C
0096 C OPEN LOOP DEPENDANT FILES
0097 C
0098
            OPEN(5, FILE-AMPLF, IOSTAT-IOERR)
0099
            IF(IOERR .GT. 0) GOTO 999
            OPEN(6, FILE-PHASEF, IOSTAT-IOERR)
0100
0101
            IF(IOERR .CT. O) GOTO 999
0102
            OPEN(7, FILE-ATIME, IOSTAT-IOERR)
            IF(IOERR .GT. 0) GOTO 999
0103
0104
            OPEN(8.FILE-FTIME.IOSTAT-IOERR)
0105
            IF(IOERR .GT. 0) GOTO 999
0106
            OPEN(9, FILE-RTIME, IOSTAT-IOERR)
0107
            1F(10ERR .GT. 0) GOTO 999
            OPEN(10, FILE-NTIME, IOSTAT-IOERR)
0108
            IF(IOERR .GT. 0) GOTO 999
0109
0110
            OPEN(11, FILE-STIME, IOSTAT-IOERR)
```

```
0111
            IF(IOERR .GT. 0) GOTO 999
0112 C
0113 C READ IN PHASE AND FREQUENCY FILES
0114 C
0115
            DO 222, I=1,401
0116
            READ(5,500) FREQ(1), FMAGRMS(1)
0117
        500 FORMAT(4X,F12.3,20X,F16.8)
0118
            FMAG(I) = FMAGRMS(I) * (2.**.5)
0119
            READ(6,600) PHAS(I)
0120
        600 FORMAT(20X,F12.3)
0121
        222 CONTINUE
0122 C
0123 C PERFORM IFFT ON ORIGINAL SIGNAL
0124 C
0125
            CALL IFOUR (FREQ, FMAG, PHAS, TO, YO)
0126 C
     C PRINT TO FILE, 2 CYCLES OF ORIGINAL TIME SIGNAL.
0127
0128 C
            NCYC2 - NCYC + NCYC
C129
0130
            DO 333, I-1,NCYC2
            WRITE(7,700) TO(1),YO(1)
0131
0132
        700 FORMAT(F16.8,4X,F16.8)
0133
        333 CONTINUE
0134 C
0135 C PERFORM FILTERING USING FILTERS A, B, C
0136 C
0137
            IF(NN .LT. 1) GOTO 234
            CALL FILTER (FREQ, FMAG, FFMAG, AFILTS, AFILTE, BFILTS, BFILTE,
0138
0139
           *CFILTS, CFILTE)
0140 C
0141 C PERFORM IFFT ON FILTERED SIGNAL
0142 C
0143
            CALL IFOUR (FREQ, FFMAG, PHAS, TO, FYO)
0144
        234 CONTINUE
            IF(NN ,LT, 1) THEN
0145
0146
            DO 345, I=1,401
0147
            FFMAG(I) - FMAG(I)
0148
        345 CONTINUE
0149
            DO 456, I-1,NCYC2
0150
            FYO(1) - YO(1)
        456 CONTINUE
0151
0152
            ENDIF
0153 C
0154 C PERFORM FILTERING TO FM4 SPECIFICATIONS
0155 C
0156
            CALL FFN4(FREQ.FFNAG.PRIM.SPD.RNAG)
0157 C
0158 C PERFORM IFFT ON FM4 FILTERED SIGNAL
0159 C (USES ABC FILTERED SIGNAL AS BASIS)
0160 C
0161
            CALL IFOUR (FREQ, RMAG, PHAS, TO, RFYO)
0162 C
0163 C DETERMINE DIFFERENCE SIGNAL ( ORIGINAL - REGULAR COMPONENTS)
0164 C
0165
            DO 444, I-1.NCYC
```

```
0166
            DYO(I) = FYO(I) - RFYO(I)
0167
        444 CONTINUE
0168 C
0169 C DETERMINE SQUARED DIFFERENCE SIGNAL
0170 C
0171
            DO 555, I=1,NCYC
0172
            DSYO(I) = DYO(I)**2.
0173
        555 CONTINUE
0174 C
0175 C DETERMINE AVERAGE VALUE OF DIFFERENCE SIGNAL
0176 C
0177
            DSUM - 0.0
0178
            DO 666, I-1,NCYC
0179
            DSUM - DSUM + DYO(I)
0180
        666 CONTINUE
0181
            DBAR - DSUM/FLOAT(NCYC)
0182 C
0183 C DETERMINE STANDARD DEVIATION OF NET SIGNAL
0184 C
0185
            CALL STDEV(DYO, NCYC, DBAR, SDEV)
0186 C
0187 C DETERMINE NORMALIZED KURTOSIS OF NET SIGNAL
0188 C
0189
            CALL KURTOS (DYO, NCYC, DBAR, RKURT)
0190 C
0191 C WRITE RESULTS TO FILES
0192 C
0193
            DO 777, I-1, NCYC
0194
           WRITE(8,700) TO(1),FYO(1)
0195
         777 CONTINUE
0196 C
0197
            DO 778, I-1,NCYC
0198
            WRITE(9,700) TO(1),RFYO(1)
0199
         778 CONTINUE
0200 C
0201
            DO 779, I-1,NCYC
0202
            WRITE(10,700) TO(1),DYO(1)
0203
        779 CONTINUE
0204 C
            DO 780, I-1,NCYC
0205
0206
            WRITE(11,700) TO(1), DSYO(1)
0207
        780 CONTINUE
0208 C
0209
            WRITE(2,200) TIME(J).SDEV.RKURT
0210
         200 FORMAT(F10.2,F12.6,F12.6)
0211 C
0212 C CLOSE LOOP DEPENDANT FILES
0213 C
0214
            CLOSE(5. IOSTAT-IOERR)
0215
             YF(ICERR .GT. 0) GOTO 999
0216
            CLOSE(6, IOSTAT-IOERR)
0217
            IF(IOERR GT. 0) GOTO 999
0218
            CLOSE(7, IOSTAT-IOERR)
0219
            IF(10ERR .GT. 0) GOTO 999
0220
            CLOSE(8, IOSTAT-IOERR)
```

```
0221
          IF(IOERR .GT. 0) GOTO 999
0222
          CLOSE(9, IOSTAT-IOERR)
0223
          IF(IOERR .GT. 0) GOTO 999
0224
          CLOSE(10, IOSTAT-IOERR)
0225
          IF(IOERR .GT. 0) GOTO 999
0226
          CLOSE(11, IOSTAT-IOERR)
0227
          IF(IOERR .GT. 0) GOTO 999
0228 C
0229 C CLOSE LOOP, MOVE TO NEXT DATA POINT
0230 C
0231
       111 CONTINUE
0232 C
0233 C
0234
          FRINT *. 'FM4 VALUES STORED IN FILE :'.FM4F
0235
          STOP
0236
       999 PRINT *, 'ERROR NO. ', IOERR
0237
          END
0238 C
0239 C
0240 C END OF MAIN PROGRAM
0241 C
0242 C
0244 C
                                                                  C
0245 C
          ROUTINE: IFOUR
                                                                  C
0246 C
                                                                  C
0247 C
          THIS SUBROUTINE PERFORMS AN INVERSE DISCRETE FOURIER
0248 C
          TRANSFORM ON A DFT TRACE USING MAGNITUDE AND PHASE DATA.
0249 C
0250 C
                                                                  C
0252 C
0253
          SUBROUTINE IFOUR(F, FMAG, PHAS, T, Y)
0254 C
0255
          DIMENSION T(1024), Y(1024)
0256
          DIMENSION F(401), DFTRE(401), DFTIM(401), FMAG(401), PHAS(401)
0257
          DIMENSION FQ(20)
0258
          CONPLEX
                    X(1024)
0259 C
0260 C. DEFINE DFT SETTINGS
0261 C
0262
          NPTS - 1024
0263
          NPOW - 10
0264
          NFREQ - 401
0265
          FSPAN - F(401) - F(1)
          PERIOD - FLOAT( (NFREQ-1) ) / FSPAN
0266
0267
          BV = F(2) \cdot F(1)
0268
          DELTA - PERIOD / FLOAT( (NPTS-1) )
0269
          PRINT *. PERIOD
0270
          PRINT *. BW
0271 C
0272 C INITIALIZE TIME, AND DFT ARRAYS
0273 C
0274
          DO 100 I-1, NPTS
0275
              T(1) - DELTA + FLOAT(1-1)
```

```
0276
              X(I) = (0.,0.)
0277
      100
              CONTINUE
0278
     C
    C CONVERTING PHASE AND MAGNITUDE TO REAL AND IMAGINARY FFT VALUES
0279
0280 C
             PI - 3.1415927
0281
0282
             DO 300, I-1, NFREQ
0283
             RAD = PHAS(I)*PI/180.
0284
             DFTRE(I) = FMAG(I) * COS(RAD)
0285
             DFTIM(I) = FMAG(I) * SIN(RAD)
       300
0286
             CONTINUE
0287
0288 C. PERFORM INVERSE DFT ON REAL PART
0289 C
0290
          IFLAG - 1
0291
          DO 2200 I-1, NFREQ
0292
              X(I) = CMPLX(DFTRE(I), 0.)
      2200
0293
              CONTINUE
0294
           CALL FFT( IFLAG, NPOW, X )
0295
           DO 2300 I-1, NPTS
0296
              Y(I) - REAL(X(I))
0297
      2300
              CONTINUE
0298
    C
0299
    C. PERFORM INVERSE DFT ON IMAGINARY PART
0300 C
0301
           DO 2400 I-1, NFREQ
0302
              X(I) = CMPLX(DFTIM(I), 0.)
0303
      2400
              CONTINUE
0304
           DO 2500 I-NFREQ+1.NPTS
0305
              X(1) = (0.,0.)
      2500
0306
              CONTINUE
0307
           CALL FFT( IFLAG, NPOW, X )
0308
           DO 2600 I-1, NPTS
0309
              Y(1) - Y(1) - AINAG(X(1))
0310
      2600
              CONTINUE
0311 C
0312
           RETURN
0313
           end
0314 C
0315
0317 C
                                                                    C
                                                                    C
0318 C
           ROUTINE: FFT
                                                                    C
0.319
0321 C
0322
           SUBROUTINE FFT( IFLAG, NPOW, X )
0323
           DIMENSION X(1),CS(2),HSK(13)
0324
                     X, CXCS, HOLD, XA
           COMPLEX
           EQUIVALENCE (CXCS,CS)
0325
0326 C
           PI - 3.141 592 7
0327
0328
           NMAX - 2**NPOW
0329
           22 - 2 + PI + FLOAT(IFLAG) / FLOAT(NHAX)
           MSK(1) - NMAX / 2
0330
```

```
DO 15 I=2.NPOW
0331
0332
              MSK(I) = MSK(I-1) / 2
               CONTINUE
0333
      15
           NN - NMAX
0334
           MM - 2
0335
0336
     C
0337 C..LOOP OVER NPOW LAYERS
0338 C
           DO 45 LAYER-1, NPOW
0339
               NN - NN / 2
0340
               NW = 0
0341
               DO 40 I=1,MX,2
0342
0343
                  II - NN * I
0344 C
0345 C..CXCS - CEXP( 2*PI*NU*FLOAT(IFLAG)/FLOAT(NMAX) )
0346 C
                   W - FLOAT(NW) * ZZ
0347
                   CS(1) - COS(W)
0348
0349
                   CS(2) - SIN(W)
0350 C
0351 C.. COMPUTE ELEMENTS FOR BOTH HALVES OF EACH BLOCK
0352 C
                   DO 20 J-1,NN
0353
                       11 - 11 + 1
0354
                       IJ - II - NN
0355
                       XA - CYCS * X(11)
0356
                       X(II) - X(IJ) - XA
0357
                       X(IJ) = X(IJ) + XA
0358
                       CONTINUE
0359
      20
0360 C
0361 C. BUMP UP SERIES BY 2. COMPUTE REVERSE ADDRESS
0362 C
                   DO 25 LOC-2 NPOW
0363
                       LL - NW - HSK(LOC)
0364
0365
                       IF( LL ) 30,35,25
       25
                       NV - LL
0366
                  NW - NSK(LOC) + NW
      30
0367
                   COTO 40
9368
0369 35
                   NW = MSK(LOC+1)
                   CONTINUE
0370
      40
               MM # MM * 2 .
0371
0372
      45
               CONTINUE
0373 C
0374 C. DO FINAL REARRANGEMENT, ALSO MULTIPLY BY DELTA.
0375 C
          NW - 0
0376
            DO 80 1-1, NMAX
0377
               NWI - NW + I
0378
               HOLD = X(NW1)
0379
           0380
               X(NV1) - X(I)
0381
       50
0382
     55
               X(1) = HOLD
0383 C
0384 C. DUMP UP SERIES BY 1. AND COMPUTE REVERSE ADDRESS.
0385 C
```

```
APPB
```

```
0386
      60
              DO 65 LOC-1, NPOW
0387
                  LL - NW - MSK(LOC)
0388
                  IF( LL ) 70,75,65
0389
      65
                  NW - LL
0390
      70
              NW = MSK(LOC) + NW
0391
              GOTO 80
0392
      75
              NW - MSK(LOC+1)
0393
      80
              CONTINUE
0394
           RETURN
0395
           END
0396 C
0397
     C
0398
0399
0400 C
                                                                     C
       ROUTINE: FILTER
                                                                     C
0401
0402
     С
           THIS SUBROUTINE USES FILTERS A. B. AND C DEPINED IN THE MAIN
                                                                     C
                                                                     G
0403
    C
           PROGRAM TO FILTER OUT ANY NON-GEAR-RELATED SIGNALS FROM THE
0404
           ANALYSIS, (BEARING NOISE, SLAVE GEAR NOISE, Etc.)
                                                                     C
0405
     C
                                                                     C
0406
0407
    0408 C
0409
           SUBROUTINE FILTER (FREQ. FMAG. FFMAG. AFS. AFE. SFS. BFE. CFS. CFE)
0410 C
0411
           DIMENSION FREQ(401), FMAG(401), FFMAG(401)
0412 C
0413
           DO 100, I=1,401
0414
           FFMAG(I) - FMAG(I)
0415
           IF((FREQ(I) .GE. AFS) .AND. (FREQ(I) .LE. AFE)) THEN
0416
           FFMAG(1) = 0.0
0417
           ENDIF
0418
           IF((FREQ(I) .GE. BPS) .AND. (FREQ(I) .LE. BFE)) THEN
0419
           FFMAG(I) = 0.0
0420
           ENDIF
0421
           IF((FREQ(I) GE, CFS) AND, (FREQ(I) LE, CFE)) THEN
0422
           FFMAG(1) = 0.0
0423
           ENDIF
0424
       100 CONTINUE
0425
           RETURN
0426
           END
0427
     C
0428
0429
0430 C
                                                                    C
0431 C
           ROUTINE: FFM4
                                                                    C
0432
                                                                    C
0433 C
         THIS SUBROUTINE FILTERS OUT ALL AMPLITUDES EXCEPT: PRIMARY
0434
     C
         HESH FREQUENCY AND FIRST HARMONIC AND THEIR FIRST CORRESPONDING C
0435
     C
         SIDEBANDS, AND PRIMARY SHAFT FREQ. (PER STEWART'S 1977 PAPER)
                                                                    C
0436
0437
0438
     0439 C
0440
          SUBROUTINE FFM4(FREQ.F4MAG.PRIM.SPD.RMAG)
```

```
0441
     C
0442
          DIMENSION FREQ(401) FFMAG(401), RMAG(401)
0443 ℃
0444
          HARM = PRIM * 2.
0445
          LPRIM - PRIM - 1.5 * SPD
0446
          HPRIM = PRIM + 1.5 * SPD
0447
          LHARM = HARM - 1.5 * SPD
0448
          HHARM = HARM + 1.5 * SPD
0449
          LSHAFT = 0.5 * SPD
0450
          HSHAFT = 1.5 * SPD
0451 C
0452
          DO 100, I-1,401
0453
          RMAG(I) = 0.0
0454
          IF((FREQ(I) .GT. LPRIM) .AND. (FREQ(I) .LT. HPRIM)) THEN
0455
          RMAG(I) = FFMAG(I)
0456
          ENDIF
0457
          IF((FREQ(I) .GT. LHARM) .AND. (FREQ(I) .LT. HHARM)) THEN
0458
          RMAG(I) = FFMAG(I)
0459
          ENDIF
0460
          IF((FREQ(I) .GT. LSHAFT) .AND. (FREQ(I) .LT. HSHAFT)) THEN
0461
          RMAG(I) = FFMAG(I)
0462
          ENDIF
0463
       100 CONTINUE
0464
          RETURN
0465
          END
0466 C
0467
0469
    C
0470 C
          ROUTINE: STDEV
                                                                C
0471 C
                                                                C
0472 G
          THIS SUBROUTINE COMPUTES THE STANDARD DEVIATION OF THE
                                                                C
0473 C
          DIFFERENCE IME SIGNAL (ORIGINAL - REGULAR COMPONENTS).
0474
    С
0475
0477
0478
          SUBROUTINE STDEV(DYO, N, DBAR, SD)
0479 C.
0480
          DIMENSION DYO(220)
0481
          ASUM = 0.0
0482
          DO 100, I=1,N
0483
          ASUM = (DYO(I) - DBAR)**2. + ASUM
0484
      100 CONTINUE
0485
          SD = (ASUM/FLOAT(N))**.5
0486
          RETURN
0487
          END
0488
    C
0489
0491
0492
    C
          ROUTINE: KURTOS
                                                                C
0493
    C
                                                                C
          THIS SUBROUTINE COMPUTES THE NORMALIZED KURTOSIS OF THE
0494
    C
                                                                C
0495
          DIFFERENCE TIME SIGNAL (ORIGINAL - REULAR COMPONENTS)
```

APPB

```
0496 C
                                                               C
0497
                                                               C
0499 C
0500
          SUBROUTINE KURTOS (DYO, N, DBAR, RKT)
0501
0502
          DIMENSION DYO(220)
0503 G
0504
          TSUM - 0.0
0505
          DO 100, I=1,N
0506
          TSUM = TSUM + (DYO(I) - DBAR)**4.
0507
      100 CONTINUE
0508 C
0509
          BSUM = 0.0
0510
          DO 200, I-1,N
0511
          BSUM = BSUM + (DYO(I) - DBAR)**2.
0512
      200 CONTINUE
0513 C
0514
          RKT = (FLOAT(N) * TSUM)/BSUM**2.
0515
          RETURN
0516
          END
```

APPENDIX C - SOURCE CODE FOR HILB.FOR

```
0002 C
0003 C
                                                                      C
0004 C
              PROGRAM: HILB.FOR
                                                                      C
                                             REVISION:
                                                           Α
                                             REVISION DATE: 05-12-89
                                                                      C
0005 C
                                                                      C
0006 C
             PROGRAMMER: J.J. Zakrajsek
                                             DATE CREATED: 05-03-89
0007 C
                                                                      C
0008 C
             THIS PROGRAM USES THE HILBERT TRANSFORM THEORY TO CONVERT
                                                                      C
0009 C
             THE TIME SIGNAL TO A COMPLEX FUNCTION TO DEMODULATE THE
                                                                      C
              SIDEBANDS FROM THE CARRIER FREQUENCY. THIS METHOD IS BASED
                                                                      C
0010 C
0011 C
             ON THE 1986 PAPER BY P. D. McFADDEN, AND THE 1988 PAPER BY
                                                                      C
                                                                      C
0012 C
             D. A. WALLACE AND M. K. DARLOW.
0013 C
                                                                      C
0014 C
             REV A: ADD VARIABLE RAMP FREQUENCY ANALYTIC PHASE VALUE
                                                                      C
0015 C
                    CORRECTION FUNCTION.
                                                                      C
0016 C
                                                                      C
0018 C
0019
           DIMENSION TIME(50), AMAGN(220), APHAS(220), PPHAS(220), CPHAS(220)
0020
           DIMENSION FREQ(401), FMAGRMS(401), FMAG(401), PHAS(401), FFMAG(401)
0021
           DIMENSION TO(1024), YACT(1024), YHIL(1024), POINT(60)
           CHARACTER*22 LIST1, LIST3, AMPLF, PHASEF
0022
0023
           CHARACTER*22 AAMPLF.APHASF
0024
           COMPLEX X(1024)
0025 C
0026 C ENTER GENERAL PARAMETERS AND FILE NAMES
0027 C
0028
           PRINT *, 'ENTER NUMBER OF DATA POINTS (INTEGER)'
0029
           READ(*,*) K
0030
           PRINT *, 'ENTER CARRIER FREQUENCY (PRIMARY OR FIRST HARMONIC)'
0031
           READ(*,*) PRIM
           PRINT *, 'ENTER ROTATIONAL SPEED IN REV/SEC (Hz)'
0032
0033
           READ(*,*) SPD
0034
           PRINT *, 'ENTER NUMBER OF TIME DATA POINTS PER CYCLE'
           PRINT *, '( INTEGER, 220 MAXIMUM )'
0035
0036
           READ (*,*) NCYC
0037 C
0038 C DEFINITION OF FREQUENCY BAND TO BE USED IN ANALYSIS
0039 C
0040
           PRINT *. 'THIS ANALYSIS IS BASED ON A BAND OF FREQUENCY DATA'
0041
           PRINT *, 'SURROUNDING THE MESH FREQUENCY CHOSEN ABOVE. THE '
0042
           PRINT *, 'NUMBER OF SIDEBANDS ON EACH SIDE OF THE FREQUENCY'
0043
           PRINT *, 'OF INTEREST ARE CHOSEN BY THE USER. DATA OUTSIDE THIS'
0044
           PRINT *, 'BAND, ALONG WITH THE FREQUENCY CHOSEN ABOVE, ARE'
0045
           PRINT *, 'FILTERED OUT OF THE ANALYSIS.'
0046
           PRINT *. '
0047 C
0048
           PRINT *. 'ENTER NUMBER OF SIDEBANDS TO BE PASSED BELOW'
0049
           PRINT *, 'CHOSEN FREQUENCY ( REAL NUMBER XX.)'
0050
           READ(*,*) FILTS
           PRINT *, 'ENTER NUMBER OF SIDEBANDS TO BE PASSED ABOVE'
0051
0052
           PRINT *, 'CHOSEN FREQUENCY (REAL NUMBER XX.)'
0053
           READ(*.*) FILTE
0054
0055 C INPUT PRIMARY FILE NAMES FILES
```

```
0056 C
0057
            PRINT *. 'ENTER TXXLIST1.FIL INPUT FILES FILENAME'
            READ(*,'(A22)') LIST1
0058
0059
            PRINT *, 'ENTER TXXLIST3.FIL OUTPUT FILES FILENAME'
            READ(*,'(A22)') LIST3
0060
0061 C
0062 C OPEN PRIMARY FILES
0063 C
0064
            OPEN(3, FILE-LIST1, IOSTAT-IOERR)
0065
            IF(IOERR .GT. 0) GOTO 999
0066
            OPEN(4, FILE-LIST3, IOSTAT-IOERR)
            IF(IOERR .GT. 0) GOTO 999
0067
0068
     C
0069
     C STARTING POINT OF ANALYSIS LOOP FOR EACH DATA POINT
0070 C
0071
            DO 111, J-1,K
0072
            PRINT *, 'PROCESSING DATA POINT NO. :',J
0073
            READ(3,300) AMPLF, PHASEF
0074
        300 FORMAT(A22,A22)
0075
            READ(4,400) AAMPLF, APHASF
0076
        400 FORMAT(A22, A22)
0077
     C
0078
     C OPEN LOOP DEPENDANT FILES
0079 C
0800
            OPEN(5, FILE-AMPLF, IOSTAT-IOERR)
0081
            IF(IOERR .GT. 0) GOTO 999
0082
            OPEN(6, FILE-PHASEF, IOSTAT-IOERR)
0083
            IF(IOERR .GT. 0) GOTO 999
0084
            OPEN(8, FILE-AAMPLF, IOSTAT-IOERR)
0085
            IF(IOERR .GT. 0) GOTO 999
0086
            OPEN(9, FILE-APHASF, IOSTAT-IOERR)
0087
            IF(IOERR .GT. 0) GOTO 999
8800
     C
0089
     C READ IN PHASE AND FREQUENCY FILES
0090 C
0091
            DO 222, I=1,401
0092
            READ(5,500) FREQ(I), FMAGRMS(I)
0093
        500 FORMAT(4X,F12.3,20X,F16.8)
0094
            FMAG(I) = FMAGRMS(I) * (2.**.5)
0095
            READ(6,600) PHAS(I)
0096
        600 FORMAT(20X,F12.3)
0097
        222 CONTINUE
0098 C
0099 C PERFORM BANDPASS FILTERING
0100 C
0101
            CALL FILTER(FREQ, FMAG, FFMAG, FILTS, FILTE, PRIM, SPD)
0102 C
0103 C PERFORM IFFT ON FILTERED FREQUENCY COMPONENTS OF ACTUAL SIGNAL
0104 C
0105
            IFL - 1
0106
            CALL IFOUR(FREQ, FFMAG, PHAS, TO, YACT, IFL)
0107, C
0108 C OBTAIN HILBERT TRANSFORM OF ACTUAL SIGNAL
0109 C
0110 C PERFORM IFFT ON FREQUENCY COMPONENTS OF HILBERT TRANSFORM OF SIGNAL
```

```
0111 C
0112
            IFL = 2
0113
            CALL IFOUR (FREQ, FFMAG, PHAS, TO, YHIL, IFL)
0114 C
0115 C DETERMINATION OF ANALYTIC FUNCTION MAGNITUDE AND PHASE
0116 C
0117
            Pi = 3.1415927
0118
            DO 444, I=1,NCYC
0119
            AMAGN(I) = (YACT(I)**2. + YHIL(I)**2.)**(.5)
0120
            APHAS(I) = (ATAN2(YHIL(I), YACT(I)))*(180./PI)
0121
        444 CONTINUE
0122 C
0123 C CORRECT PHASE VALUES FOR NOMINAL GEAR MESH FREQUENCY
0124 C
0125 C ADD 180 DEGREES TO ALL PHASE VALUES
0126 C
0127
            DO 210, I-1,NCYC
0128
            PPHAS(I) = APHAS(I) + 180.
0129
        210 CONTINUE
0130 C
0131 C DETERMINE FREQUENCY OF RAMP FUNCTION
0132 C
0133
            NCT = 0
0134
            LIM - NCYC - 1
0135
            DO 211, I-1,LIM
0136
            N - I + 1
            XCHK - PPHAS(I) - PPHAS(N)
0137
0138
            IF(XCHK .GT. 200.) THEN
0139
            NCT - NCT + 1
0140
            POINT(NCT) = (TO(I) + TO(N))/2.
0141
            ENDIF
0142
        211 CONTINUE
0143
            SFREQ = FLOAT(NCT-1)/(POINT(NCT) - POINT(1))
0144
            PRINT *, SFREQ
0145 C
0146 C DETERMINE INITIAL OFFSET OF RAMP FUNCTION
0147 C
0148
            I - 0
0149
        212 CONTINUE
0150
            I = I + 1
0151
            N - I + 1
0152
            XCHK = PPHAS(I) - PPHAS(N)
0153
            IF(XCHK .GT. 200.) GOTO 213
0154
            GOTO 212
0155
        213 PERIOD = 1.0/SFREQ
0156
            OFFSET - PERIOD - (TO(I) + TO(N))/2.0
0157
            PRINT *, OFFSET
0158
0159 C CORRECT PHASE ANGLE VARIATION FOR NOMINAL TOOTH MESH FREQUENCY
0160 C
0161
            DO 214, I-1, NCYC
0162
            IF(I .EQ. 1) THEN
0163
            FC = 1.0
            ENDIF
0164
0165
            IF(I .EQ. 1) GOTO 379
```

```
0166
            N - I - 1
0167
            XCHK = PPHAS(N) - PPHAS(I)
0168
            IF(XCHK .GT. 200.) THEN
0169
            M = I - 1
0170
        377 M = M + 1
0171
            MN = M + 1
0172
            CCHK = PPHAS(M) - PPHAS(MN)
0173
            IF(CCHK .GT. 200.) GOTO 378
0174
            GOTO 377
0175
        378 LL - I - 1
            ULIM = (TO(MN) + TO(M))/2.0
0176
0177
            BLIM - (TO(I) + TO(LL))/2.0
0178 C
            PRINT *, ULIM
            PRINT *, BLIM
0179 C
0180
            CFREQ = 1.0/(ULIM - BLIM)
0181
            FC - CFREQ/SFREQ
0182
            OFFSET = -1.0*BLIM
0183
            ENDIF
0184
        379 CONTINUE
0185
            CPHAS(I) = PPHAS(I) - (360.)*SFREQ*FC*(TO(I) + OFFSET)
0186
        214 CONTINUE
0187 C
0188 C WRITE RESULTS TO FILES
0189 C
0190
            DO 777, I-1,NGYC
0191
            WRITE(8,700) TO(1), AMAGN(1)
0192
        700 FORMAT(F16.8,4X,F16.8)
0193
        777 CONTINUE
0194 C
0195
            DO 778, I-1,NCYC
0196
            WRITE(9,700) TO(1), CPHAS(1)
0197
        778 CONTINUE
0198
0199 C CLOSE LOOP DEPENDANT FILES
0200 C
0201
            CLOSE(5, IOSTAT-IOERR)
0202
            IF(IOERR .GT. 0) GOTO 999
0203
            CLOSE(6, IOSTAT-IOERR)
0204
            IF(IOERR .GT. 0) GOTO 999
0205
            CLOSE(8, IOSTAT-IOERR)
0206
            IF(IOERR .GT. 0) GOTO 999
0207
            CLOSE(9, IOSTAT=IOERR)
0208
            IF(IOERR .GT. 0) GOTO 999
0209 C
0210 C CLOSE LOOP, MOVE TO NEXT DATA POINT
0211 C
0212
        111 CONTINUE
0213
0214 C
0215
            PRINT *. 'VALUES STORED IN FILES ON DISK :A'
0216
            STOP
0217
        999 PRINT *, 'ERROR NO. ', IOERR
0218
            END
0219 C
0220 C
```

```
0221 C END OF MAIN PROGRAM
0222
0223
    0224
                                                                    C
0225
    С
                                                                    С
0226 C
          ROUTINE: IFOUR
                                                                    C
0227 G
                                                                    C
           THIS SUBROUTINE PERFORMS AN INVERSE DISCRETE FOURIER
0228
                                                                    C
           TRANSFORM ON A DFT TRACE USING MAGNITUDE AND PHASE DATA.
0229 C
                                                                    C
0230 C
0231
0233
0234
           SUBROUTINE IFOUR(F, FMAG, PHAS, T, Y, IFL)
0235 C
0236
           DIMENSION T(1024), Y(1024)
           DIMENSION F(401), DFTRE(401), DFTIM(401), FMAG(401), PHAS(401)
0237
0238
           DIMENSION FO(20)
0239
           COMPLEX
                    X(1024)
0240 C
0241 C. DEFINE DFT SETTINGS
0242 C
           NPTS = 1024
0243
0244
           NPOW - 10
0245
           NFREQ - 401
           FSPAN - F(401) - F(1)
0246
           PERIOD - FLOAT( (NFREQ-1) ) / FSPAN
0247
0248
           BW = F(2) - F(1)
0249
           DELTA - PERIOD / FLOAT( (NPTS-1) )
           PRINT *, PERIOD
0250
0251
           PRINT *, BW
0252 C
0253 C INITIALIZE TIME, AND DFT ARRAYS
0254 C
0255
           DO 100 I-1, NPTS
              T(I) - DELTA * FLOAT(I-1)
0256
              X(I) = (0.,0.)
0257
0258
      100
              CONTINUE
0259 C
0260 C CONVERTING PHASE AND MAGNITUDE TO REAL AND IMAGINARY FFT VALUES
0261 C
0262
           PI = 3.1415927
0263
0264 C
        ACTUAL SIGNAL ALGORYTHM (IFL = 1)
0265 C
0266
           IF(IFL .EQ. 1) THEN
0267
              DO 300, I-1, NFREQ
0268
             RAD = PHAS(I)*PI/180.
0269
             DFTRE(I) = FMAG(I) * COS(RAD)
0270
             DFTIM(I) - FMAG(I) * SIN(RAD)
0271
       300
              CONTINUE
0272
           ENDIF
0273 C
0274 C HILBERT TRANSFORM ALGORYTHM (IFL = 2)
0275 C
```

```
0276
           IF(IFL . EQ. 2) THEN
0277
             DO 303, I=1,NFREQ
0278
             RAD = PHAS(I)*PI/180.
             DFTRE(I) = FMAG(I)*SIN(RAD)
0279
0280
             DFTIM(I) = (-1.0)*FMAG(I)*COS(RAD)
0281
       303
             CONTINUE
           ENDIF
0282
0283 C
G284 C. PERFORM INVERSE DFT ON REAL PART
0285 C
0286
           IFLAG - 1
0287
           DO 2200 I-1, NFREQ
0288
              X(I) - CMPLX(DFTRE(I), 0.)
      2200
0289
              CONTINUE
0290
           CALL FFT( IFLAG, NPOW, X )
0291
           DO 2300 I-1, NPTS
0292
              Y(I) = REAL(X(I))
0293
      2300
              CONTINUE
0294
     C
0295
    C. PERFORM INVERSE DFT ON IMAGINARY PART
0296 C
0297
           DO 2400 I-1, NFREQ
0298
              X(I) = CMPLX(DFTIM(I), 0.)
      2400
0299
              CONTINUE
0300
           DO 2500 I-NFREQ+1, NPTS
0301
              X(I) = (0.,0.)
0302
      2500
              CONTINUE
0303
           CALL FFT( IFLAG, NPOW, X )
0304
           DO 2600 I-1, NPTS
0305
              Y(I) - Y(I) - AIMAG(X(I))
0306
      2600
              CONTINUE
0307
    C
0308
           RETURN
0309
           END
0310 C
0311 C
0313 C
                                                                    C
0314 C
                                                                    C
           ROUTINE: FFT
0315
                                                                    G
0317 C
0318
           SUBROUTINE FFT( IFLAG, NPOW, X )
0319
           DIMENSION X(1), CS(2), MSK(13)
0320
           COMPLEX
                    X, CXCS, HOLD, XA
0321
           EQUIVALENCE (CXCS,CS)
0322 C
0323
           PI - 3.141 592 7
0324
           NMAX - 2**NPOW
           ZZ = 2. * PI * FLOAT(IFLAG) / FLOAT(NMAX)
0325
0326
          MSK(1) = NMAX / 2
0327
           DO 15 I-2, NPOW
0328
              MSK(I) = MSK(I-1) / 2
0329
      15
              CONTINUE
0330
          NN - NMAX
```

```
0331
            MM - 2
0332 C
0333 C..LOOP OVER NPOW LAYERS
0334 C
0335
            DO 45 LAYER-1, NPOW
                NN - NN / 2
0336
                NW = 0
0337
                DO 40 I-1,MM,2
0338
0339
                    II - NN * I
0340 C
0341 C..CXCS - CEXP( 2*PI*NW*FLOAT(IFLAG)/FLOAT(NMAX) )
0342 C
0343
                    W = FLOAT(NW) * ZZ
0344
                    CS(1) = COS(W)
0345
                    CS(2) - SIN(W)
0346 C
0347 C..COMPUTE ELEMENTS FOR BOTH HALVES OF EACH BLOCK
0348 C
0349
                    DO 20 J-1,NN
0350
                        II = II + 1
0351
                        IJ - II - NN
0352
                        XA - CXCS * X(II)
0353
                        X(II) = X(IJ) - XA
0354
                        X(IJ) = X(IJ) + XA
0355
       20
                        CONTINUE
                         . . . . .
0356 C
0357 C..BUMP UP SERIES BY 2, COMPUTE REVERSE ADDRESS
0358 C
0359
                    DO 25 LOC-2, NPOW
0360
                        LL - NW - MSK(LOC)
0361
                        IF( LL ) 30.35,25
0362
       25
                        NW - LL
0363
       30
                    NW = MSK(LOC) + NW
0364
                    GOTO 40
0365
       35
                    NW = MSK(LOC+1)
0366
       40
                    CONTINUE
0367
                MM - MM + 2
0368
       45
                CONTINUE
0369 C
0370 C..DO FINAL REARRANGEMENT, ALSO MULTIPLY BY DELTA.
0371 C
0372
            NW - 0
0373
            DO 80 I-1.NMAX
0374
                NW1 - NW + 1
0375
                HOLD - X(NW1)
0376
                IF( NW1-I ) 60.55.50
0377
       50
                X(NW1) - X(I)
0378
       55
                X(I) - HOLD
0379
0380
     C..BUMP UP SERIES BY 1, AND COMPUTE REVERSE ADDRESS.
0381
0382
       60
                DO 65 LOC-1, NPOW
0383
                    LL - NW - MSK(LOC)
0384
                    IF( LL ) 70,75,65
0385
                    NW - LL
       65
```

APPC

```
0386
      70
              NW = MSK(LOC) + NW
0387
              GOTO 80
0388
      75
              NW = MSK(LOC+1)
0389
      80
              CONTINUE
0390
          RETURN
0391
           END
0392 C
0393 C
0395
                                                                 C
0396 C
          ROUTINE: FILTER
                                                                 C
0397 C
                                                                 C
0398 C
          THIS SUBROUTINE FILTERS OUT ALL FREQUENCY COMPONENTS
                                                                 Ċ
0399 C
          OUTSIDE THE FREQUENCY BAND CHOSEN IN THE MAIN PROGRAM.
0400 C
                                                                 C
          THE CARRIER FREQUENCY IS ALSO FILTERED OUT.
                                                                 C
0401 C
0402 C
0404 C
0405
          SUBROUTINE FILTER (FREQ. FMAG, FFMAG, FS, FE, PRIM, SPD)
0406 C
0407
          DIMENSION FREQ(401) FMAG(401), FFMAG(401)
0408 C
0409
          SBL = PRIM - (FS + .5)*SPD
0410
          PL = PRIM - (.5*SPD)
0411
          FU = PRIM + (.5*SPD)
          SBU = PRIM + (FE + .5)*SPD
0412
0413 C
0414
          DO 100, I-1,401
0415
          FFMAG(I) = 0.0
0416
          IF((FREQ(I) .GE. SBL) .AND. (FREQ(I) .LE. PL)) THEN
0417
          FFMAG(I) - FMAG(I)
0418
          ENDIF
0419
          IF((FREQ(I) .GE. PU) .AND. (FREQ(I) .LE. SBU)) THEN
0420
          FFMAG(I) = FMAG(I)
0421
          ENDIF
       100 CONTINUE
0422
0423
          RETURN
0424
          END
```

APPENDIX D - SOURCE CODE FOR PARAM. FOR

```
0002 C
 0003 C
                                                                                                                                                        C
 0004 C
                         PROGRAM: PARAM.FOR
                                                                     CREATED: 05-05-89
                                                                                                               REVISED: XX-XX-XXXX C
            С
 0005
                                                                                                                                                        C
                                                                                                                                                        С
 0006
            С
                         PROGRAMMER: J.J. ZAKRAJSEK
 0007
            C
                                                                                                                                                        С
            С
                                                                                                                                                        C
 8000
                         THIS PROGRAM COMPUTES SEVERAL FAULT DETECTION PARAMETERS
 0009
           С
                         BASED ON THE A-B-C FILTERED SIGNAL CALCULATED IN THE PROGRAM
                                                                                                                                                        C
 0010
           C
                         TFM4.FOR. THE BASIS OF THE PARAMETERS ARE SUMMARIZED BELOW.
                                                                                                                                                        C
 0011
            C
                                                                                                                                                        C
                                                                                                                                                        С
 0012
           С
                         CREST FACTOR (CF) - PEAK LEVEL / TOTAL RMS LEVEL
                                                                                                                                                        C
 0013 C
                                                                                                                                                       C
 0014
                         SIDEBAND LEVEL FACTOR (SBLF) - FIRST ORDER SIDEBANDS (PRIMARY)
                                                                                                                                                        Ċ
 0015
           С
                                                                                                     TOTAL RMS LEVEL
 0016 C
                                                                                                                                                        C
 0017 C
                         WEAR ENERGY RATIO - RMS LEVEL OF NON-PERIODIC PART OF SIGNAL
                                                                                                                                                        C
 0018 C
                             (WER)
                                                                 / RMS LEVEL OF PERIODIC PART OF SIGNAL
                                                                                                                                                        С
 0019
           C
                                                                                                                                                        C
                                                                                                                                                        C
 0020
 0021
           Orrander in the state of the st
 0022 C
 0023
                         DIMENSION TIME(50), FSIG(220), RSIG(220), DSIG(220)
 1024
                         DIMENSION FREQ(500), AMPL(500)
 0025
                         CHARACTER*22 FMOF. PARAMF, LIST2, LIST1, AMPLF
 0026
                         CHARACTER*18 FTIMEF, RTIMEF, DTIMEF
 0027
0028
           C ENTER INITIAL DATA AND FILE NAMES
0029 C
0030
                        PRINT *. 'ENTER NUMBER OF DATA POINTS'
0031
                        READ(*,*) K
0032
                        PRINT *. 'ENTER MESH FREQ (XXXX.)'
0033
                        READ(*,*) PRIM
0034
                        PRINT *. 'ENTER ROTATIONAL SPEED (REV/SEC)'
0035
                        READ(*,*) SPD
0036 C
0037
                        PRINT *, 'ENTER OUTPUT DATA FILE NAME (\TXXPARAM.DAT)'
0033
                        READ (*.'(A22)') PARAMF
0039
                        OPEN(7, FILE-PARAMF, IOSTAT-IOERR)
0040
                        IF (IOERR .GT. 0) GOTO 999
                        PRINT *, 'ENTER FILE NAMES ARRAY FILE (\TXXLIST1.FIL)'
0041
0042
                        READ(*.'(A22)') LIST1
0043
                        OPEN(6, FILE-LIST1, IOSTAT-IOERR)
0044
                        IF(IOERR .GT. 0) GOTO 999
0045
                        PRINT *, 'ENTER FILE NAMES ARRAY FILE (\TXXLIST2.FIL)'
0046
                       READ(*,'(A22)') LIST2
0047
                       OPEN(8, FILE-LIST2, IOSTAT-IOERR)
                        IF(IOERR .GT. 0) GOTO 999
0048
0049
                        PRINT *, 'ENTER PREVIOUS TFMO FILE (\TXXFMO.DAT)'
0050
                       READ(*,'(A22)') FMOF
0051
                       OPEN(9, FILE-FMOF, IOSTAT-IOERR)
0052
                        IF(IOERR .GT. 0) GOTO 999
                       PRINT *, 'ENTER NUMBER OF TIME DATA POINTS PER CYCLE (INTEGER)'
0053
0054
                       READ(*,*) NCYC
0055 C
```

```
C START TIME LOOPING. PROCESSING DATA AT EACH TIME INTERVAL
0057
0058
             DO 300, J-1,K
0059
             PRINT *. 'ACCESSING AND PROCESSING DATA FILE NO:',J
0060
             READ(6,600) AMPLF
       600 FORMAT(A20)
0061
0062
             READ(8,800) FTIMEF, RTIMEF, DTIMEF
       800 FORMAT(A18, A18, A18)
0063
0064
             READ(9,900) TIME(J)
       900 FORMAT(F8.2)
0065
0066
            OPEN(4, FILE-FTIMEF, IOSTAT-IOERR)
0067
             IF (IOERR .GT. 0) GOTO 999
0068
            CPEN(3,FILE-RTIMEF,IOSTAT-IOERR)
0069
             IF (IOERR .GT. 0) GOTO 999
0070
            OPEN(2, FILE-DTIMEF, IOSTAT-IOERR)
0C71
             IF (IOERR .GT. C) GOTO 999
            OPEN(5.FILE-AMPLF.IOSTAT-IOERR)
0072
0073
             IF (IOERR .GT. 0) GOTO 999
0074
      C
0075
      C READ IN AND FIND THE MAX VALUE OF THE FILTERED TIME RECORD
0076
0077
                PKL = 0.0
0078
                DO 100, 1-1, NCYC
0079
                READ(4,400) FSIG(I)
       400
0800
                FORMAT(20X, F16.8)
0081
                AVALU = ABS(FSIG(I))
0082
                IF ( AVALU .GT. PKL ) THEN
0083
                PKL - AVALU
0084
                ENDIF
       100
0085
                CONTINUE
0086
0087
      C FIND FIRST ORDER SIDEBANDS LEVEL
8800
0089
            DO 301, I-1,401
0090
            READ(5,500) FREQ(1),AMPL(1)
0091
        500 FORMAT(4X,F12.3,20X,F16.8)
0092
        301 CONTINUE
0093 C
0094
            CALL FOSB(FREQ, AMPL, PRIM, SPD, SBL)
0095
0096
     C FIND TOTAL RNS LEVEL OF SIGNAL
0097
0098
            CALL STDEV(FSIG,NCYC,FSD)
0099
0100
      C FIND RMS LEVEL OF PERIODIC COMPONENTS
0101
0102
            DO 120, I-1,NCYC
0103
            READ(3,400) RSIG(1)
        120 CONTINUE
0104
0105
     C
0106
            CALL STDEV(RSIG, NCYC, RSD)
0107
     C FIND RMS LEVEL OF DIFFERENCE SIGNAL (SIGNAL - PERIODIC COMPONENTS)
0108
0109
     C
0110
            DO 140. I-1.NCYC
```

```
0111
          READ(2,400) DSIG(I)
0112
       140 CONTINUE
0113 C
0114
          CALL STDEV(DSIG, NCYC, DSD)
0115 C
0116 C COMPUTE CREST FACTOR
0117 C
0118
          CF - PKL/FSD
0119 C
0120 C FIND SIDEBAND LEVEL FACTOR
0121 C
0122
          SBLF - SBL/FSD
0123 G
0124 C FIND WEAR ENERGY RATIO
0125 C
0126
          WER - DSD/RSD
0127 C
0128 C CLOSE LOOP DEPENDANT FILE, AND WRITE CALCULTED DATA TO FILE
0129 C
0130
          CLOSE(4, IOSTAT=IOERR)
0131
          IF (IOERR .GT. 0) GOTO 999
0132
          CLOSE(2, IOSTAT-IOERR)
0133
          IF (IOERR .GT. 0) GOTO 999
0134
          CLOSE(3, IOSTAT-IOERR)
0135
          IF (IOERR .GT. 0) GOTO 999
0136
          CLOSE(5, IOSTAT-IOERR)
0137
          IF (IOERR .GT. 0) GOTO 999
0138
          WRITE (7,700) TIME(J), CF, SBLF, WER
      700 FORMAT(F8.2,F10.4,F10.4,F10.4)
0139
0140
      300 CONTINUE
0141 C
0142
          PRINT *. 'PARAMETER VALUES STORED IN FILE: '. PARAME
0143
          STOP
      999
0144
          PRINT *. 'ERROR NO.'. IOERR
0145
          END
0146 C
0147 C
0148 C **** END OF MAIN PROGRAM *****
0149 G
0150 C
0152 C
0153 C
                                                                  C
          ROUTINE: FOSB
                           (FIRST ORDER SIDEBANDS)
0154 C
0156 C
0157
          SUBROUTINE FOSB(FREQ, AMPL, PRIM, SPD, SBL)
0158 C
0159
          DIMENSION FREQ(500), AMPL(500)
0160
          BSBS - PRIN - 1.5*SPD
0161
          BSBE - PRIM - .5*SPD
          USBS - PRIH + .5+SPD
0162
0163
          USBE - PRIM + 1.5*SPD
0164
          BSB = 0.0
0165
          USB - 0.0
```

```
0166
          DO 200, I=1,401
0167
          IF((FREQ(I).GT.BSBS) .AND. (FREQ(I).LT.BSBE)) THEN
0168
          IF(AMPL(I) .GT. BSB) BSB = AMPL(I)
0169
          ENDIF
0170
          IF((FREQ(I).GT, USBS) .AND. (FREQ(I).LT.USBE)) THEN
0171
          IF(AMPL(I) .GT. USB) USB - AMPL(I)
0172
          ENDIF
0173
       200 CONTINUE
0174
          SBL = (BSB + USB)/2.0
0175
          RETURN
0176
          END
0177 C
0178
0180 C
                                                                C
0181
     C
                           (STANDARD DEVIATION OF TIME SIGNAL)
                                                                C
          ROUTINE: STDEV
0182
0183
     0184 0
0185
          SUBROUTINE STDEV(DYO, N, SD)
0186
0187
          DIMENSION DYO(220)
0188
          DSUM = 0.0
0189
          DO 100, I-1,N
          DSUM - DSUM + DYO(I)
0190
0191
      100 CONTINUE
0192
          DBAR - DSUM/FLOAT(N)
0193
0194
          ASUN - 0.0
0195
          DO 200, I-1,N
0196
          ASUM - (DYO(I) - DBAR)**2. + ASUM
0197
      200 CONTINUE
0198
          SD = (ASUN/FLOAT(N))**.5
0199
          RETURN
0200
          END
```

APPENDIX E - NOMENCLATURE

A	amplitude at mesh frequency and harmonics
A(t)	original signal after time synchronous averaging
AN(f)	analytic signal
D(t)	difference signal
d .	discrete value in the difference signal, D(t)
đ	mean value of the difference signal, D(t)
F(m)	discrete value in a frequency array
f(n)	discrete value in a time record
F(m)	discrete frequency array (discrete fourier transform of a time record)
f(n)	discrete time record
F(W)	frequency domain function (fourier transform of a time domain function)
f	frequency (cycles/second)
f(min) -	minimum resolution frequency
FOSL	first order sidebands level
Gxy(f)	cross power spectrum
Gxy*(f)	complex conjugate of Gxy(f)
Gyx(f)	cross power spectrum
Gxx(f)	auto power spectrum of input
Gyy(f)	auto power spectrum of output
H(f)	frequency response function
йух(f)	estimate of frequency response function
h(t)	unit impulse response function
K	kurtosis, fourth moment of an array of values
N	number of data points in a discrete time record
NK	normalized kurtosis

NS	number of samples
Nt	number of time averages
PL	peak level of signal
PP	peak to peak level of signal average
R(t)	regular meshing components of signal average
RMS	standard deviation of signal average
RMSDS	standard deviation of difference signal, D(t)
RMSRC	standard deviation of regular meshing components of signal, R(t)
S/N	signal to noise ratio
T	length of time racord (seconds)
t	time (seconds)
W	frequency (radians/second)
X(f)	fourier transform of input signal
χ*(f)	complex conjugate of X(f)

fourier transform of output signal

Y(f)

REFERENCES

- Stewart, R.M.: Some Useful Data Analysis Techniques for Gearbox Diagnostics. Machine Health Monitoring Group, Institute of Sound and Vibration Research, University of Southhampton, Report MHM/R/10/77, July 1977.
- 2. McFadden, P.D.: Detecting Fatigue Cracks in Gears by Amplitude and Phase Demodulation of the Meshing Vibration. J. Vibration, Acoustics, Stress and Reliability in Design, vol. 108, no. 2, April 1986, pp. 165-170.
- 3 Swansson, N.S.: Application of Vibration Signal Analysis Techniques to Signal Monitoring, Conference on Friction and Wear in Engineering 1980, Institution of Engineers, Australia, Barton, Australia, 1980, pp. 262-267.
- 4. Goold, I.: Chinook Report Criticizes Boeing and Authorities. Flight Int., vol. 135, no. 4161, April 22, 1989, pp. 8-9.
- 5. Faulty Part Temporarily Grounds Marine Corps CH-53E's. Helicopter News, vol. 14, no. 21, Oct. 21, 1988, p. 8.
- 6. Gonzalez, R.C.; and Wintz, Paul: Digital Image Processing. Addison-Wesley Publishing Co., Reading, MA, 1977.
- 7. Bendat, J.S.; and Piersol, A.G.: Engineering Applicationns of Correlation and Spectral Analysis. John Wiley and Sons, New York, 1980.
- Favaloro, S.C.: A Preliminary Evaluation of Some Gear Diagnostics Using Vibration Analysis. ARL-AERO-RPOP-TM-427, Aeronautical Research Laboratories, Department of Defense, Melbourne, Australia, 1985, (Avail. NTIS, AD-A161939).
- 9. Gu, A.L.; and Badgley, R.H.: Prediction of Vibration Sidebands in Gear Meshes. ASME Paper 74-DET-95, Oct. 1974.
- Wallace, D.A.; and Darlow, M.S.: Hilbert Transform Techniques for Measurement of Transient Gear Speeds. Mechanical Systems and Signal Processing, vol. 2, Apr. 1988, pp. 187-194.
- 11. Dynamic Signal Analyzer Applications: Effective Machinery Haintenance Using Vibration Analysis. Hewlett Packard Application Note 243-1, Hewlett Packard, 1983.
- 12. Cooley, J.W.; and Tukey, J.W.: An Algorithm for the Machine Calculation of Complex Fourier Series. Math. of Comput., vol. 19, 1965, pp. 297-301.

AVSCOM TM 89-C-005 4. Title and Subtitle An Investigation of Gear Mesh Failure Prediction Techniques 6. 7. Author(s) James J. Zakrajsek 9. Performing Organization Name and Address NASA Lewis Research Center Cleveland, Ohio 44135-3191 and Propulsion Directorate U.S. Army Aviation Research and Technology Activity—AVSCOM Cleveland, Ohio 44135-3127 12. Sponsoring Agency Name and Address National Aeronautics and Space Administration		National Aeronautics and Space Administration	Report Docum	entation Page	ı	
An Investigation of Gear Mesh Failure Prediction Techniques 6. 7. Author(s) James J. Zakrajsek 8. Ferforming Organization Name and Address NASA Lewis Research Center Cleveland, Ohio 44135-3191 and Propulsion Directorate U.S. Army Aviation Research and Technology Activity—AVSCOM Cleveland, Ohio 44135-3127 12. Sponsoring Agency Name and Address National Aeronautics and Space Administration Washington, D.C. 20546-0001 and U.S. Army Aviation Systems Command St. Louis, Mo. 63120-1798 15. Supplementary Notes This report was a thesis submitted in partial fulfillment of the requirements for the in Mechanical Engineering to Cleveland State University, Cleveland, Ohio in June 4. Course: A study was performed in which several gear failure prediction methods were invexperimental data from a gear fatigue test apparatus. The primary objective was a standing of the prediction methods and to evaluate their diagnostic capabilities. The signal average in both the time and frequency domain to detect gear failure. Data were recorded at periodic time intervals as the gears were run from initiation to 6 modes, consisting of heavy wear, tooth breakage, single pits, and distributed pittified gears. Results show that the prediction methods were able to detect only the heavy wear or distributed pitting. None of the methods could predict fatigue cracbreakage, or single pits. It is suspected that the fatigue cracks were not detected acquisition rather than in methodology. Additionally, the frequency response between transducer was found to significantly affect the vibration signal. The specific frequency for the signal average prior to application of the methods. Keywork 17. Ney Words (Suggested by Author(s)) 18. Distribution Statement Unclassified - Ur. Subject Category 18. Distribution Statement Unclassified - Ur. Subject Category	1.	NASA IM-102340	2. Government Acces	sion No.	3. Recipient's Catalog	g No.
7. Author(s) James J. Zakrajsek 9. Performing Organization Name and Address NASA Lewis Research Center Cleveland, Ohio 44135-3191 and Propulsion Directorate U.S. Army Aviation Research and Technology Activity—AVSCOM Cleveland, Ohio 44135-3127 13. 2. Sponsoring Agency Name and Address National Aeronautics and Space Administration Washington, D.C. 20546-0001 and U.S. Army Aviation Systems Command St. Louis, Mo. 63120-1798 5. Supplementary Notes This report was a thesis submitted in partial fulfillment of the requirements for the in Mechanical Engineering to Cleveland State University, Cleveland, Ohio in June Abstract A study was performed in which several gear failure prediction methods were inverperimental data from a gear fatigue test apparatus. The primary objective was taxanding of the prediction methods and to evaluate their diagnostic capabilities. This signal average in both the time and frequency domain to detect gear failure. Data were recorded at periodic time intervals as the gears were run from initiation to modes, consisting of heavy wear, tooth breakage, single pits, and distributed pitting failed gears. Results show that the prediction methods were able to detect only the heavy wear or distributed pitting. None of the methods could predict fatigue crack breakage, or single pits. It is suspected that the fatigue cracks were not detected acquisition rather than in methodology. Additionally, the frequency response between the signal average prior to application of the methods. Keyword for the signal average prior to application of the methods. Keyword for the prediction and the prediction of the methods. Keyword for the prediction of the methods.	4.	Title and Subtitle			5. Report Date	
James J. Zakrajsek 9. Performing Organization Name and Address NASA Lewis Research Center Cleveland, Ohio 44135-3191 and Propulsion Directorate U.S. Army Aviation Research and Technology Activity—AVSCOM Cleveland, Ohio 44135-3127 2. Sponsoring Agency Name and Address National Aeronautics and Space Administration Washington, D.C. 20546-0001 and U.S. Army Aviation Systems Command St. Louis, Mo. 63120-1798 6. Supplementary Notes This report was a thesis submitted in partial fulfillment of the requirements for the intervals and Engineering to Cleveland State University, Cleveland, Ohio in June A study was performed in which several gear failure prediction methods were intervals as the gears were run from initiation to fundes, consisting of heavy wear, tooth breakage, single pits, and distributed pittificative are recorded at periodic time intervals as the gears were run from initiation to fundes, consisting of heavy wear, tooth breakage, single pits, and distributed pitting. None of the methods could predict fatigue craci breakage, or single pits. It is suspected that the fatigue cracks were not detected acquisition rather than in methodology. Additionally, the frequency response between the signal average prior to application of the methods. Ke who was a property of the signal average prior to application of the methods. Ke who was a policy of the signal average prior to application of the methods. Ke who was a policy of the prediction. 7. Kay Words (Suggested by Author(s)) 18. Distribution Statement Unclassified—Ur. Subject Category		An Investigation of Gear Mesh Failur	ues	October 1989		
9. Performing Organization Name and Address NASA Lewis Research Center Cleveland, Ohio 44135-3191 and Propulsion Directorate U.S. Army Aviation Research and Technology Activity—AVSCOM Cleveland, Ohio 44135-3127 13. 22. Sponsoring Agency Name and Address National Aeronautics and Space Administration Washington, D.C. 20546-0001 and U.S. Army Aviation Systems Command St. Louis, Mo. 63120-1798 5. Supplementary Notes This report was a thesis submitted in partial fulfillment of the requirements for the in Mechanical Engineering to Cleveland State University, Cleveland, Ohio in June A study was performed in which several gear failure prediction methods were inverperimental data from a gear fatigue test apparatus. The primary objective was to standing of the prediction methods and to evaluate their diagnostic capabilities. The signal average in both the time and frequency domain to detect gear failure. Data were recorded at periodic time intervals as the gears were run from initiation to 6 modes, consisting of heavy wear, tooth breakage, single pits, and distributed pittification generated that the fatigue cracks were not detected the reakage, or single pits. It is suspected that the fatigue cracks were not detected the reakage, or single pits. It is suspected that the fatigue cracks were not detected the reakage, or single pits. It is suspected that the fatigue cracks were not detected the reakage, or single pits. It is suspected that the fatigue cracks were not detected the reakage, or single pits. It is suspected that the fatigue cracks were not detected the reakage, or single pits. It is suspected that the fatigue cracks were not detected the reakage, or single pits. It is suspected that the fatigue cracks were not detected the reakage, or single pits. It is suspected that the fatigue cracks were not detected the reakage, or single pits. It is suspected that the fatigue cracks were not detected the reakage, or single pits. It is suspected that the fatigue cracks were not detected the reakage, or single pits. It is					6. Performing Organi	zation Code
9. Performing Organization Name and Address NASA Lewis Research Center Cleveland, Ohio 44135-3191 and Propulsion Directorate U.S. Army Aviation Research and Technology Activity—AVSCOM Cleveland, Ohio 44135-3127 2. Sponsoring Agency Name and Address National Aeronautics and Space Administration Washington, D.C. 20546-0001 and U.S. Army Aviation Systems Command St. Louis, Mo. 63120-1798 5. Supplementary Notes This report was a thesis submitted in partial fulfillment of the requirements for the in Mechanical Engineering to Cleveland State University, Cleveland, Ohio in June A study was performed in which several gear failure prediction methods were inversely as a study was performed in which several gear failure prediction methods were inversely as a study was performed in which several gear failure prediction methods were inversely as a study was performed in which several gear failure prediction methods were inversely as a study was performed in the time and frequency domain to detect gear failure. Data were recorded at periodic time intervals as the gears were run from initiation to modes, consisting of heavy wear, tooth breakage, single pits, and distributed pittifialled gears. Results show that the prediction methods were able to detect only the heavy wear or distributed pitting. None of the methods could predict fatigue crack breakage, or single pits. It is suspected that the fatigue cracks were not detected the acquisition rather than in methodology. Additionally, the frequency response between the signal average prior to application of the methods. Ke and the specific frequency for the signal average prior to application of the methods. Ke and the Subject Category 7. Key Worde (Suggested by Author(s)) 18. Distribution Statement Unclassified—Unclassi	7.	Author(s)		· · · · · · · · · · · · · · · · · · ·	8. Performing Organi	zation Report No.
9. Performing Organization Name and Address NASA Lewis Research Center Cleveland, Ohio 44135-3191 and Propulsion Directorate U.S. Army Aviation Research and Technology Activity—AVSCOM Cleveland, Ohio 44135-3127 2. Sponsoring Agency Name and Address National Aeronautics and Space Administration Washington, D.C. 20546-0001 and U.S. Army Aviation Systems Command St. Louis, Mo. 63120-1798 5. Supplementary Notes This report was a thesis submitted in partial fulfillment of the requirements for the in Mechanical Engineering to Cleveland State University, Cleveland, Ohio in June 6. Abstract A study was performed in which several gear failure prediction methods were inversely and the prediction methods and to evaluate their diagnostic capabilities. Signal average in both the time and frequency domain to detect gear failure. Data were recorded at periodic time intervals as the gears were run from initiation to the modes, consisting of heavy wear, tooth breakage, single pits, and distributed pittifailed gears. Results show that the prediction methods were able to detect only the heavy wear or distributed pitting. None of the methods could predict fatigue crack were not detected acquisition rather than in methodology. Additionally, the frequency response between transducer was found to significantly affect the vibration signal. The specific frequency of the signal average prior to application of the methods. Ke and the prediction of the methods. Ke and the frequency response between the signal average prior to application of the methods. Ke and the frequency for the prediction of the methods. Ke and the frequency for the prediction pr		James J. Zakrajsek			E-5049	
NASA Lewis Research Center Cleveland, Ohio 44135-3191 and Propulsion Directorate U.S. Army Aviation Research and Technology Activity—AVSCOM Cleveland, Ohio 44135-3127 2. Sponsoring Agency Name and Address National Aeronautics and Space Administration Washington, D.C. 20546-0001 and U.S. Army Aviation Systems Command St. Louis, Mo. 63120-1798 5. Supplementary Notes This report was a thesis submitted in partial fulfillment of the requirements for the in Mechanical Engineering to Cleveland State University, Cleveland, Ohio in June 6. Obstract A study was performed in which several gear failure prediction methods were inverse experimental data from a gear fatigue test apparatus. The primary objective was a standing of the prediction methods and to evaluate their diagnostic capabilities. The signal average in both the time and frequency domain to detect gear failure. Data were recorded at periodic time intervals as the gears were run from initiation to modes, consisting of heavy wear, tooth breakage, single pits, and distributed pittif failed gears. Results show that the prediction methods were able to detect only the heavy wear or distributed pitting. None of the methods could predict fatigue crack breakage, or single pits. It is suspected that the fatigue cracks were not detected acquisition rather than in methodology. Additionally, the frequency response between transducer was found to significantly affect the vibration signal. The specific frequency for the signal average prior to application of the methods. Keywood (Suggested by Author(s)) 7. Key Words (Suggested by Author(s)) 18. Distribution Statement Unclassified—Unclass		<u> </u>			10. Work Unit No.	
Cleveland, Ohio 44135-3191 and Propulsion Directorate U.S. Army Aviation Research and Technology Activity—AVSCOM Cleveland, Ohio 44135-3127 2. Sponsoring Agency Name and Address National Aeronautics and Space Administration Washington, D.C. 20546-0001 and U.S. Army Aviation Systems Command St. Louis, Mo. 63120-1798 5. Supplementary Notes This report was a thesis submitted in partial fulfillment of the requirements for the in Mechanical Engineering to Cleveland State University, Cleveland, Ohio in June A study was performed in which several gear failure prediction methods were interpreted in the prediction methods and to evaluate their diagnostic capabilities. The signal average in both the time and frequency domain to detect gear failure. Data were recorded at periodic time intervals as the gears were run from initiation to modes, consisting of heavy wear, tooth breakage, single pits, and distributed pittif failed gears. Results show that the prediction methods were able to detect only the heavy wear or distributed pitting. None of the methods could predict fatigue crack were not detected acquisition rather than in methodology. Additionally, the frequency response between transducer was found to significantly affect the vibration signal. The specific frequency of the signal average prior to application of the methods. Ke and the could be acquisition signal average prior to application of the methods. Ke and the could be acquisition signal average prior to application of the methods. The Distribution Statement and the prediction of the methods of the prediction of the p	9.	Performing Organization Name and Address			505-63-51	
Propulsion Directorate U.S. Army Aviation Research and Technology Activity—AVSCOM Cleveland, Ohio 44135-3127 2. Sponsoring Agency Name and Address National Aeronautics and Space Administration Washington, D.C. 20546-0001 and U.S. Army Aviation Systems Command St. Louis, Mo. 63120-1798 5. Supplementary Notes This report was a thesis submitted in partial fulfillment of the requirements for the in Mechanical Engineering to Cleveland State University, Cleveland, Ohio in June A study was performed in which several gear failure prediction methods were interpreted in the production methods and to evaluate their diagnostic capabilities. The signal average in both the time and frequency domain to detect gear failure. Data were recorded at periodic time intervals as the gears were run from initiation to fundes, consisting of heavy wear, tooth breakage, single pits, and distributed pittiful failed gears. Results show that the prediction methods were able to detect only the heavy wear or distributed pitting. None of the methods could predict fatigue crack breakage, or single pits. It is suspected that the fatigue cracks were not detected acquisition rather than in methodology. Additionally, the frequency response between transducer was found to significantly affect the vibration signal. The specific frequency for the signal average prior to application of the methods. Keywood. The Words (Supposted by Author(s)) 18. Distribution Statement Unclassified—Unclassifie					TL162209A47A	\
Propulsion Directorate U.S. Army Aviation Research and Technology Activity—AVSCOM Cleveland, Ohio 44135-3127 2. Sponsoring Agency Name and Address National Aeronautics and Space Administration Washington, D.C. 20546-0001 and U.S. Army Aviation Systems Command St. Louis, Mo. 63120-1798 5. Supplementary Notes This report was a thesis submitted in partial fulfillment of the requirements for the in Mechanical Engineering to Cleveland State University, Cleveland, Ohio in June Costract A study was performed in which several gear failure prediction methods were inverse experimental data from a gear fatigue test apparatus. The primary objective was to standing of the prediction methods and to evaluate their diagnostic capabilities. The signal average in both the time and frequency domain to detect gear failure. Data were recorded at periodic time intervals as the gears were run from initiation to fundes, consisting of heavy wear, tooth breakage, single pits, and distributed pitting led gears. Results show that the prediction methods were able to detect only the heavy wear or distributed pitting. None of the methods could predict fatigue crack breakage, or single pits. It is suspected that the fatigue cracks were not detected acquisition rather than in methodology. Additionally, the frequency response between transducer was found to significantly affect the vibration signal. The specific frequency for the signal average prior to application of the methods. Response to the signal average prior to application of the methods. 7. Key Words (Suggested by Author(s)) 18. Distribution Statement Unclassified—Unclas		•			11. Contract or Grant I	No.
U.S. Army Aviation Research and Technology Activity—AVSCOM Cleveland, Ohio 44135-3127 2. Sponsoring Agency Name and Address National Aeronautics and Space Administration Washington, D.C. 20546-0001 and U.S. Army Aviation Systems Command St. Louis, Mo. 63120-1798 5. Supplementary Notes This report was a thesis submitted in partial fulfillment of the requirements for the in Mechanical Engineering to Cleveland State University, Cleveland, Ohio in June A study was performed in which several gear failure prediction methods were invexperimental data from a gear fatigue test apparatus. The primary objective was to standing of the prediction methods and to evaluate their diagnostic capabilities. This signal average in both the time and frequency domain to detect gear failure. Data were recorded at periodic time intervals as the gears were run from initiation to modes, consisting of heavy wear, tooth breakage, single pits, and distributed pittif failed gears. Results show that the prediction methods were able to detect only the heavy wear or distributed pitting. None of the methods could predict fatigue crack breakage, or single pits. It is suspected that the fatigue cracks were not detected acquisition rather than in methodology. Additionally, the frequency response between transducer was found to significantly affect the vibration signal. The specific frequency frequency response between the signal average prior to application of the methods. Keyword 7. Key Words (Suggested by Author(s)) 18. Distribution Statement Unclassified—Un						
Cleveland, Ohio 44135-3127 2. Sponsoring Agency Name and Address National Aeronautics and Space Administration Washington, D.C. 20546-0001 and U.S. Army Aviation Systems Command St. Louis, Mo. 63120-1798 5. Supplementary Notes This report was a thesis submitted in partial fulfillment of the requirements for the in Mechanical Engineering to Cleveland State University, Cleveland, Ohio in June A study was performed in which several gear failure prediction methods were invexperimental data from a gear fatigue test apparatus. The primary objective was to standing of the prediction methods and to evaluate their diagnostic capabilities. The signal average in both the time and frequency domain to detect gear failure. Data were recorded at periodic time intervals as the gears were run from initiation to a modes, consisting of heavy wear, tooth breakage, single pits, and distributed pittifuld gears. Results show that the prediction methods were able to detect only heavy wear or distributed pitting. None of the methods could predict fatigue crack recakage, or single pits. It is suspected that the fatigue cracks were not detected acquisition rather than in methodology. Additionally, the frequency response between transducer was found to significantly affect the vibration signal. The specific frequency for the signal average prior to application of the methods. Keyword (Suggested by Author(s)) 7. Key Words (Suggested by Author(s)) 18. Distribution Statement Unclassified—U		•	chnology Activity—A	AVSCOM		
National Aeronautics and Space Administration Washington, D.C. 20546-0001 and U.S. Army Aviation Systems Command St. Louis, Mo. 63120-1798 5. Supplementary Notes This report was a thesis submitted in partial fulfillment of the requirements for the in Mechanical Engineering to Cleveland State University, Cleveland, Ohio in June experimental data from a gear fatigue test apparatus. The primary objective was a standing of the prediction methods and to evaluate their diagnostic capabilities. The signal average in both the time and frequency domain to detect gear failure. Data were recorded at periodic time intervals as the gears were run from initiation to a modes, consisting of heavy wear, tooth breakage, single pits, and distributed pittifailed gears. Results show that the prediction methods were able to detect only the heavy wear or distributed pitting. None of the methods could predict fatigue crack breakage, or single pits. It is suspected that the fatigue cracks were not detected acquisition rather than in methodology. Additionally, the frequency response between transducer was found to significantly affect the vibration signal. The specific frequency of the signal average prior to application of the methods. Keyword 7. Key Words (Suggested by Author(s)) 18. Distribution Statement Unclassified—Unclassifi		•	······		13. Type of Report an	d Period Covered
Washington, D.C. 20546-0001 and U.S. Army Aviation Systems Command St. Louis, Mo. 63120-1798 5. Supplementary Notes This report was a thesis submitted in partial fulfillment of the requirements for the in Mechanical Engineering to Cleveland State University, Cleveland, Ohio in June 6. Abstract A study was performed in which several gear failure prediction methods were invexperimental data from a gear fatigue test apparatus. The primary objective was to standing of the prediction methods and to evaluate their diagnostic capabilities. The signal average in both the time and frequency domain to detect gear failure. Data were recorded at periodic time intervals as the gears were run from initiation to a modes, consisting of heavy wear, tooth breakage, single pits, and distributed pittifailed gears. Results show that the prediction methods were able to detect only the heavy wear or distributed pitting. None of the methods could predict fatigue crack breakage, or single pits. It is suspected that the fatigue cracks were not detected acquisition rather than in methodology. Additionally, the frequency response between transducer was found to significantly affect the vibration signal. The specific frequency of the signal average prior to application of the methods. Keyword (Suggested by Author(s)) 7. Key Words (Suggested by Author(s)) 18. Distribution Statement Unclassified—Un	2.	· · · · · · · · · · · · · · · · · · ·		Technical Mem	orandum	
U.S. Army Aviation Systems Command St. Louis, Mo. 63120-1798 5. Supplementary Notes This report was a thesis submitted in partial fulfillment of the requirements for the in Mechanical Engineering to Cleveland State University, Cleveland, Ohio in June 6. Abstract A study was performed in which several gear failure prediction methods were invexperimental data from a gear fatigue test apparatus. The primary objective was to standing of the prediction methods and to evaluate their diagnostic capabilities. The signal average in both the time and frequency domain to detect gear failure. Data were recorded at periodic time intervals as the gears were run from initiation to modes, consisting of heavy wear, tooth breakage, single pits, and distributed pittifailed gears. Results show that the prediction methods were able to detect only the heavy wear or distributed pitting. None of the methods could predict fatigue crack breakage, or single pits. It is suspected that the fatigue cracks were not detected acquisition rather than in methodology. Additionally, the frequency response between transducer was found to significantly affect the vibration signal. The specific frequency of the signal average prior to application of the methods. Keyword for the signal average prior to application of the methods. Keyword for the signal average prior to application of the methods. Keyword for the signal average prior to application of the methods. Keyword for the signal average prior to application of the methods. Keyword for the signal average prior to application of the methods. Keyword for the signal average prior to application of the methods. Keyword for the signal average prior to application of the methods. Keyword for the signal average prior to application of the methods. Keyword for the signal average prior to application of the methods. Keyword for the signal average prior to application of the methods.		Washington, D.C. 20546-0001			14. Sponsoring Agenc	y Code
This report was a thesis submitted in partial fulfillment of the requirements for the in Mechanical Engineering to Cleveland State University, Cleveland, Ohio in June 19 (19 Percentage). A study was performed in which several gear failure prediction methods were inverse experimental data from a gear fatigue test apparatus. The primary objective was to standing of the prediction methods and to evaluate their diagnostic capabilities. The signal average in both the time and frequency domain to detect gear failure. Data were recorded at periodic time intervals as the gears were run from initiation to a modes, consisting of heavy wear, tooth breakage, single pits, and distributed pittifailed gears. Results show that the prediction methods were able to detect only the heavy wear or distributed pitting. None of the methods could predict fatigue crack breakage, or single pits. It is suspected that the fatigue cracks were not detected acquisition rather than in methodology. Additionally, the frequency response between transducer was found to significantly affect the vibration signal. The specific frequency of the signal average prior to application of the methods. Keywood Caleboard Diagnificantly affect the vibration signal. The specific frequency of the signal average prior to application of the methods. Keywood Caleboard Diagnificantly affect the vibration signal. The specific frequency produced by Author(s).		U.S. Army Aviation Systems Comma	nd			
7. Key Words (Suggested by Author(s)) Gears Failure prediction 18. Distribution Statement Unclassified—Un		A study was performed in which seve experimental data from a gear fatigue standing of the prediction methods and signal average in both the time and frowere recorded at periodic time interval modes, consisting of heavy wear, toot failed gears. Results show that the preheavy wear or distributed pitting. Nor breakage, or single pits. It is suspecte acquisition rather than in methodology transducer was found to significantly.	test apparatus. The plant of the evaluate their disequency domain to dist as the gears were in breakage, single pediction methods were of the methods could that the fatigue cray. Additionally, the fatfect the vibration is	primary objective wagnostic capabilities etect gear failure. I run from initiation its, and distributed je able to detect only uld predict fatigue cacks were not detect requency response themal. The specific is agneral.	as to provide a bas. The methods inverse control of the control of	eline under- stigated use the ar fatigue tests jor failure ed among the s which involved ed in tooth ations in data aft and the
Diagnostics		Key Worde (Suggested by Author(s)) Gears	15 Rotar	18. Distribution States Unclassified	nent - Unlimited	ft,
9. Security Classif. (of this report) 20. Security Classif. (of this page) 21.	9.		20. Security Classif. (o	f this page)	21. No of pages	22. Price*